

December 16, 2008

**Publications Considered by the GINA Science Committee for the Preparation of the
Global Strategy for Asthma Management and Prevention (Updated 2008)**

1. Adachi M, Ishihara K, Inoue H, Kudo K, Takahashi K, Morita Y, Masuda K, Sakai T, Kato R, Miyamoto T. Efficacy and safety of inhaled ciclesonide compared with chlorofluorocarbon beclomethasone dipropionate in adults with moderate to severe persistent asthma. *Respirology* 2007;12:573-80.
2. Adachi M, Ishihara K, Inoue H, Kudo K, Takahashi K, Morita Y, Masuda K, Takada Y, Kato R, Miyamoto T. Efficacy and safety of once-daily inhaled ciclesonide in adults with mild to moderate asthma: a double-blind, placebo-controlled study. *Respirology* 2007;12:566-72.
3. Ali FR, Kay AB, Larche M. Airway hyperresponsiveness and bronchial mucosal inflammation in T cell peptide-induced asthmatic reactions in atopic subjects. *Thorax* 2007;62:750-57.
4. Allayee H, Hartiala J, Lee W, Mehrabian M, Irvin CG, Conti DV, Lima JJ. The effect of montelukast and low-dose theophylline on cardiovascular disease risk factors in asthmatics. *Chest* 2007;132:868-74.
5. Alvarez-Cuesta E, Berges-Gimeno P, Gonzalez-Mancebo E, Fernandez-Caldas E, Cuesta-Herranz J, Casanovas M. Sublingual immunotherapy with a standardized cat dander extract: evaluation of efficacy in a double blind placebo controlled study. *Allergy* 2007;62:810-7.
6. Amirav I. Real-life effectiveness of Singulair (montelukast) in 506 children with mild to moderate asthma. *Isr Med Assoc J* 2008;10:287-91.
7. Antonicelli L, Micucci C, Voltolini S, Senna GE, Di Blasi P, Visona G, De Marco R, Bonifazi F. Relationship between ARIA classification and drug treatment in allergic rhinitis and asthma. *Allergy* 2007;62:1064-70.
8. Antoniu SA, Mihaescu T, Donner CF. Pharmacotherapy of cough-variant asthma. *Expert Opin Pharmacother* 2007;8:3021-8.
9. Arandelovic M, Stankovic I, Nikolic M. Swimming and persons with mild persistent asthma. *ScientificWorldJournal* 2007;7:1182-8.
10. Atkinson M, Lakhanpaul M, Smyth A, Vyas H, Weston V, Sithole J, Owen V, Halliday K, Sammons H, Crane J, Guntupalli N, Walton L, Ninan T, Morjaria A, Stephenson T. Comparison of oral amoxicillin and intravenous benzyl penicillin for community acquired pneumonia in children (PIVOT trial): a multicentre pragmatic randomised controlled equivalence trial. *Thorax* 2007;62:1102-6.
11. Ayres JG, Higgins B, Chilvers ER, Ayre G, Blogg M, Fox H. Efficacy and tolerability of anti-immunoglobulin E therapy with omalizumab in patients with poorly controlled (moderate-to-severe) allergic asthma. *Allergy* 2004;59:701-8.
12. Babl FE, Sheriff N, Borland M, Acworth J, Neutze J, Krieser D, Ngo P, Schutz J, Thomson F, Cotterell E, Jamison S, Francis P. Paediatric acute asthma management in Australia and New Zealand: practice patterns in the context of clinical practice guidelines. *Arch Dis Child* 2008;93:307-12.
13. Barber CM, Naylor S, Bradshaw LM, Francis M, Harris-Roberts J, Rawbone R, Curran AD, Fishwick D. Approaches to the diagnosis and management of occupational asthma amongst UK respiratory physicians. *Respir Med* 2007;101:1903-8.
14. Barnes N, Laviolette M, Allen D, Flood-Page P, Hargreave F, Corris P, O'Connor BJ, Tate H, Parker D, Pavord I. Effects of montelukast compared to double dose budesonide on airway inflammation and asthma control. *Respir Med* 2007;101:1652-8.
15. Barnes NC, Jacques L, Goldfrad C, Bateman ED. Initiation of maintenance treatment with salmeterol/fluticasone propionate 50/100 microg bd versus fluticasone propionate 100 microg bd alone in patients with persistent asthma: integrated analysis of four randomised trials. *Respir Med* 2007;101:2358-65.

16. Bartosikova L, Necas J, Frana L, Bartosik T. [Experience with ciclesonide in patients with mild persistent bronchial asthma]. *Ceska Slov Farm* 2007;56:276-9.
17. Bateman E, Nelson H, Bousquet J, Kral K, Sutton L, Ortega H, Yancey S. Meta-analysis: effects of adding salmeterol to inhaled corticosteroids on serious asthma-related events. *Ann Intern Med* 2008;149:33-42.
18. Bateman ED, Clark TJ, Frith L, Bousquet J, Busse WW, Pedersen SE. Rate of response of individual asthma control measures varies and may overestimate asthma control: an analysis of the goal study. *J Asthma* 2007;44:667-73.
19. Belda J, Margarit G, Martinez C, Bellido-Casado J, Casan P, Torrejon M, Brufal M, Rodriguez-Jerez F, Sanchis J. Anti-inflammatory effects of high-dose inhaled fluticasone versus oral prednisone in asthma exacerbations. *Eur Respir J* 2007;30:1143-9.
20. Bellia V, Pedone C, Catalano F, Zito A, Davi E, Palange S, Forastiere F, Incalzi RA. Asthma in the elderly: mortality rate and associated risk factors for mortality. *Chest* 2007;132:1175-82.
21. Bender BG, Bartlett SJ, Rand CS, Turner C, Wamboldt FS, Zhang L. Impact of interview mode on accuracy of child and parent report of adherence with asthma-controller medication. *Pediatrics* 2007;120:e471-7.
22. Bender BG, Fuhlbrigge A, Walders N, Zhang L. Overweight, race, and psychological distress in children in the Childhood Asthma Management Program. *Pediatrics* 2007;120:805-13.
23. Berry M, Morgan A, Shaw DE, Parker D, Green R, Brightling C, Bradding P, Wardlaw AJ, Pavord ID. Pathological features and inhaled corticosteroid response of eosinophilic and non-eosinophilic asthma. *Thorax* 2007;62:1043-9.
24. Bisgaard H, Pedersen S, Anhoj J, Agertoft L, Hedlin G, Gulsvik A, Bjermer L, Carlsen KH, Nordvall L, Lundback B, Wennergren G, Werner S, Bonnelykke K, Weiss ST. Determinants of lung function and airway hyperresponsiveness in asthmatic children. *Respir Med* 2007;101:1477-82.
25. Blais R, Laurier C, Pare M. Effect of feedback letters to physicians and pharmacists on the appropriate use of medication in the treatment of asthma. *J Asthma* 2008;45:227-31.
26. Blanchette CM, Gutierrez B, Ory C, Chang E, Akazawa M. Economic burden in direct costs of concomitant chronic obstructive pulmonary disease and asthma in a Medicare Advantage population. *J Manag Care Pharm* 2008;14:176-85.
27. Bleecker ER, Postma DS, Lawrance RM, Meyers DA, Ambrose HJ, Goldman M. Effect of ADRB2 polymorphisms on response to longacting beta2-agonist therapy: a pharmacogenetic analysis of two randomised studies. *Lancet* 2007;370:2118-25.
28. Boluyt N, van der Lee JH, Moyer VA, Brand PL, Offringa M. State of the evidence on acute asthma management in children: a critical appraisal of systematic reviews. *Pediatrics* 2007;120:1334-43.
29. Bonnelykke K, Jespersen JJ, Bisgaard H. Age dependent systemic exposure to inhaled salbutamol. *Br J Clin Pharmacol* 2007;64:241-4.
30. Bonsignore MR, La Grutta S, Cibella F, Scichilone N, Cuttitta G, Interrante A, Marchese M, Veca M, Virzi M, Bonanno A, Profita M, Morici G. Effects of exercise training and montelukast in children with mild asthma. *Med Sci Sports Exerc* 2008;40:405-12.
31. Boogaard R, Smit F, Schornagel R, Vaessen-Verberne AA, Kouwenberg JM, Hekkelaan M, Hendriks T, Feith SW, Hop WC, de Jongste JC, Merkus PJ. Recombinant human deoxyribonuclease for the treatment of acute asthma in children. *Thorax* 2008;63:141-6.
32. Boonsawat W, Goryachkina L, Jacques L, Frith L. Combined salmeterol/fluticasone propionate versus fluticasone propionate alone in mild asthma : a placebo-controlled comparison. *Clin Drug Investig* 2008;28:101-11.
33. Boskabady MH, Javan H, Sajady M, Rakhshandeh H. The possible prophylactic effect of *Nigella sativa* seed extract in asthmatic patients. *Fundam Clin Pharmacol* 2007;21:559-66.

34. Boulet LP, Bateman ED, Voves R, Muller T, Wolf S, Engelstatter R. A randomized study comparing ciclesonide and fluticasone propionate in patients with moderate persistent asthma. *Respir Med* 2007;101:1677-86.
35. Bousquet J, Boulet LP, Peters MJ, Magnussen H, Quiralte J, Martinez-Aguilar NE, Carlsheimer A. Budesonide/formoterol for maintenance and relief in uncontrolled asthma vs. high-dose salmeterol/fluticasone. *Respir Med* 2007;101:2437-46.
36. Bousquet J, Cabrera P, Berkman N, Buhl R, Holgate S, Wenzel S, Fox H, Hedgecock S, Blogg M, Cioppa GD. The effect of treatment with omalizumab, an anti-IgE antibody, on asthma exacerbations and emergency medical visits in patients with severe persistent asthma. *Allergy* 2005;60:302-8.
37. Brasier AR, Victor S, Boetticher G, Ju H, Lee C, Bleecker ER, Castro M, Busse WW, Calhoun WJ. Molecular phenotyping of severe asthma using pattern recognition of bronchoalveolar lavage-derived cytokines. *J Allergy Clin Immunol* 2008;121:30-37 e6.
38. Breekveldt-Postma NS, Koerselman J, Erkens JA, van der Molen T, Lammers JW, Herings RM. Treatment with inhaled corticosteroids in asthma is too often discontinued. *Pharmacoepidemiol Drug Saf* 2008;17:411-22.
39. Brindicci C, Ito K, Barnes PJ, Kharitonov SA. Effect of an inducible nitric oxide synthase inhibitor on differential flow-exhaled nitric oxide in asthmatic patients and healthy volunteers. *Chest* 2007;132:581-8.
40. Brookman LJ, Knowles LJ, Barbier M, Elharrar B, Fuhr R, Pascoe S. Efficacy and safety of single therapeutic and suprathreshold doses of indacaterol versus salmeterol and salbutamol in patients with asthma. *Curr Med Res Opin* 2007;23:3113-22.
41. Broughton S, Thomas MR, Marston L, Calvert SA, Marlow N, Peacock JL, Rafferty GF, Greenough A. Very prematurely born infants wheezing at follow-up: lung function and risk factors. *Arch Dis Child* 2007;92:776-80.
42. Brown ES, Frol AB, Khan DA, Larkin GL, Bret ME. Impact of levetiracetam on mood and cognition during prednisone therapy. *Eur Psychiatry* 2007;22:448-52.
43. Brown ES, Murray M, Carmody TJ, Kennard BD, Hughes CW, Khan DA, Rush AJ. The Quick Inventory of Depressive Symptomatology-Self-report: a psychometric evaluation in patients with asthma and major depressive disorder. *Ann Allergy Asthma Immunol* 2008;100:433-8.
44. Brown ES, Vornik LA, Khan DA, Rush AJ. Bupropion in the treatment of outpatients with asthma and major depressive disorder. *Int J Psychiatry Med* 2007;37:23-8.
45. Bruzzese JM, Unikel L, Gallagher R, Evans D, Colland V. Feasibility and impact of a school-based intervention for families of urban adolescents with asthma: results from a randomized pilot trial. *Fam Process* 2008;47:95-113.
46. Bryant-Stephens T, Li Y. Outcomes of a home-based environmental remediation for urban children with asthma. *J Natl Med Assoc* 2008;100:306-16.
47. Buhl R, Vogelmeier C. Budesonide/formoterol maintenance and reliever therapy: a new treatment approach for adult patients with asthma. *Curr Med Res Opin* 2007;23:1867-78.
48. Burgess SW, Sly PD, Cooper DM, Devadason SG. Novel spacer device does not improve adherence in childhood asthma. *Pediatr Pulmonol* 2007;42:736-9.
49. Burney P, Potts J, Ait-Khaled N, Sepulveda RM, Zidouni N, Benali R, Jerray M, Musa OA, El-Sony A, Behbehani N, El-Sharif N, Mohammad Y, Khouri A, Paralija B, Eiser N, Fitzgerald M, Abu-Laban R. A multinational study of treatment failures in asthma management. *Int J Tuberc Lung Dis* 2008;12:13-8.
50. Burr ML, Matthews IP, Arthur RA, Watson HL, Gregory CJ, Dunstan FD, Palmer SR. Effects on patients with asthma of eradicating visible indoor mould: a randomised controlled trial. *Thorax* 2007;62:767-72.

51. Busse WW, Massanari M, Kianifard F, Geba GP. Effect of omalizumab on the need for rescue systemic corticosteroid treatment in patients with moderate-to-severe persistent IgE-mediated allergic asthma: a pooled analysis. *Curr Med Res Opin* 2007;23:2379-86.
52. Busse WW, Pedersen S, Pauwels RA, Tan WC, Chen YZ, Lamm CJ, O'Byrne PM. The Inhaled Steroid Treatment As Regular Therapy in Early Asthma (START) study 5-year follow-up: effectiveness of early intervention with budesonide in mild persistent asthma. *J Allergy Clin Immunol* 2008;121:1167-74.
53. Busse WW, Shah SR, Somerville L, Parasuraman B, Martin P, Goldman M. Comparison of adjustable- and fixed-dose budesonide/formoterol pressurized metered-dose inhaler and fixed-dose fluticasone propionate/salmeterol dry powder inhaler in asthma patients. *J Allergy Clin Immunol* 2008;121:1407-14, 1414 e1-6.
54. Bussey-Smith KL, Rossen RD. A systematic review of randomized control trials evaluating the effectiveness of interactive computerized asthma patient education programs. *Ann Allergy Asthma Immunol* 2007;98:507-16; quiz 516, 566.
55. Cabana MD, McKean M, Wong AR, Chao C, Caughey AB. Examining the hygiene hypothesis: the Trial of Infant Probiotic Supplementation. *Paediatr Perinat Epidemiol* 2007;21 Suppl 3:23-8.
56. Cadario G, Galluccio AG, Pezza M, Appino A, Milani M, Pecora S, Mastrandrea F. Sublingual immunotherapy efficacy in patients with atopic dermatitis and house dust mites sensitivity: a prospective pilot study. *Curr Med Res Opin* 2007;23:2503-6.
57. Campo P, Wisniewski AV, Lummus Z, Cartier A, Malo JL, Boulet LP, Bernstein DI. Diisocyanate conjugate and immunoassay characteristics influence detection of specific antibodies in HDI-exposed workers. *Clin Exp Allergy* 2007;37:1095-102.
58. Canino G, Vila D, Normand SL, Acosta-Perez E, Ramirez R, Garcia P, Rand C. Reducing asthma health disparities in poor Puerto Rican children: the effectiveness of a culturally tailored family intervention. *J Allergy Clin Immunol* 2008;121:665-70.
59. Cano-Garcinuno A, Diaz-Vazquez C, Carvajal-Uruena I, Praena-Crespo M, Gatti-Vinoly A, Garcia-Guerra I. Group education on asthma for children and caregivers: a randomized, controlled trial addressing effects on morbidity and quality of life. *J Investig Allergol Clin Immunol* 2007;17:216-26.
60. Canonica GW, Poulsen PB, Vestenbaek U. Cost-effectiveness of GRAZAX for prevention of grass pollen induced rhinoconjunctivitis in Southern Europe. *Respir Med* 2007;101:1885-94.
61. Carlsen KH, Anderson SD, Bjermer L, Bonini S, Brusasco V, Canonica W, Cummiskey J, Delgado L, Del Giacco SR, Drobic F, Haahtela T, Larsson K, Palange P, Popov T, van Cauwenberge P. Treatment of exercise-induced asthma, respiratory and allergic disorders in sports and the relationship to doping: Part II of the report from the Joint Task Force of European Respiratory Society (ERS) and European Academy of Allergy and Clinical Immunology (EAACI) in cooperation with GA(2)LEN. *Allergy* 2008;63:492-505.
62. Cates CJ, Jefferson TO, Rowe BH. Vaccines for preventing influenza in people with asthma. *Cochrane Database Syst Rev* 2008:CD000364.
63. Cazzoletti L, Marcon A, Janson C, Corsico A, Jarvis D, Pin I, Accordini S, Almar E, Bugiani M, Carolei A, Cerveri I, Duran-Tauleria E, Gislason D, Gulsvik A, Jogi R, Marinoni A, Martinez-Moratalla J, Vermeire P, de Marco R. Asthma control in Europe: a real-world evaluation based on an international population-based study. *J Allergy Clin Immunol* 2007;120:1360-7.
64. Chang CL, Cooray M, Mills G, Hancox RJ. Is Salamol less effective than Ventolin? A randomised, blinded, crossover study in New Zealand. *N Z Med J* 2007;120:U2874.
65. Charuluxananan S, Suraseranivongse S, Punjasawadwong Y, Somboonviboon W, Sriswasdi S, Pranootnarabhal T, Chanchayanon T, Chau-in W, Intarut N. Risk factors of intraoperative oxygen desaturation: a case-control study of 152,314 anesthetics. *J Med Assoc Thai* 2007;90:2359-65.

66. Chatzi L, Apostolaki G, Bibakis I, Skypala I, Bibaki-Liakou V, Tzanakis N, Kogevinas M, Cullinan P. Protective effect of fruits, vegetables and the Mediterranean diet on asthma and allergies among children in Crete. *Thorax* 2007;62:677-83.
67. Chen CH, Lin YT, Yang YH, Wang LC, Lee JH, Kao CL, Chiang BL. Ribavirin for respiratory syncytial virus bronchiolitis reduced the risk of asthma and allergen sensitization. *Pediatr Allergy Immunol* 2008;19:166-72.
68. Chen H, Blanc PD, Hayden ML, Bleecker ER, Chawla A, Lee JH. Assessing productivity loss and activity impairment in severe or difficult-to-treat asthma. *Value Health* 2008;11:231-9.
69. Chen H, Gould MK, Blanc PD, Miller DP, Kamath TV, Lee JH, Sullivan SD. Asthma control, severity, and quality of life: quantifying the effect of uncontrolled disease. *J Allergy Clin Immunol* 2007;120:396-402.
70. Chinn S, Heinrich J, Anto JM, Janson C, Norback D, Olivieri M, Svanes C, Sunyer J, Verlato G, Wjst M, Zock JP, Burney PG, Jarvis DL. Bronchial responsiveness in atopic adults increases with exposure to cat allergen. *Am J Respir Crit Care Med* 2007;176:20-6.
71. Choi BW, Yoo KH, Jeong JW, Yoon HJ, Kim SH, Park YM, Kim WK, Oh JW, Rha YH, Pyun BY, Chang SI, Moon HB, Kim YY, Cho SH. Easy diagnosis of asthma: computer-assisted, symptom-based diagnosis. *J Korean Med Sci* 2007;22:832-8.
72. Choi KM, Kim JH, Cho GJ, Baik SH, Park HS, Kim SM. Effect of exercise training on plasma visfatin and eotaxin levels. *Eur J Endocrinol* 2007;157:437-42.
73. Chong Neto HJ, Rosario NA, Sole D, Mallol J. Prevalence of recurrent wheezing in infants. *J Pediatr (Rio J)* 2007;83:357-62.
74. Chu KA, Wu YC, Ting YM, Wang HC, Lu JY. Acupuncture therapy results in immediate bronchodilating effect in asthma patients. *J Chin Med Assoc* 2007;70:265-8.
75. Chuchalin A, Jacques L, Frith L. Salmeterol/fluticasone propionate via Diskus once daily versus fluticasone propionate twice daily in patients with mild asthma not previously receiving maintenance corticosteroids. *Clin Drug Investig* 2008;28:169-81.
76. Chuchalin AG, Tsoi AN, Richter K, Krug N, Dahl R, Luursema PB, Cameron R, Bao W, Higgins M, Woessner R, van As A. Safety and tolerability of indacaterol in asthma: a randomized, placebo-controlled 28-day study. *Respir Med* 2007;101:2065-75.
77. Chupp GL, Lee CG, Jarjour N, Shim YM, Holm CT, He S, Dziura JD, Reed J, Coyle AJ, Kiener P, Cullen M, Grandsaigne M, Dombret MC, Aubier M, Pretolani M, Elias JA. A chitinase-like protein in the lung and circulation of patients with severe asthma. *N Engl J Med* 2007;357:2016-27.
78. Clark NM, Cabana MD, Nan B, Gong ZM, Slish KK, Birk NA, Kaciroti N. The clinician-patient partnership paradigm: outcomes associated with physician communication behavior. *Clin Pediatr (Phila)* 2008;47:49-57.
79. Clark NM, Gong ZM, Wang SJ, Lin X, Bria WF, Johnson TR. A randomized trial of a self-regulation intervention for women with asthma. *Chest* 2007;132:88-97.
80. Cleland JA, Hall S, Price D, Lee AJ. An exploratory, pragmatic, cluster randomised trial of practice nurse training in the use of asthma action plans. *Prim Care Respir J* 2007;16:311-8.
81. Cowen MK, Wakefield DB, Cloutier MM. Classifying asthma severity: objective versus subjective measures. *J Asthma* 2007;44:711-5.
82. Cowie RL, Boulet LP, Keith PK, Scott-Wilson CA, House KW, Dorinsky PM. Tolerability of a salmeterol xinafoate/fluticasone propionate hydrofluoroalkane metered-dose inhaler in adolescent and adult patients with persistent asthma: a 52-week, open-label, stratified, parallel-group, multicenter study. *Clin Ther* 2007;29:1390-402.
83. Cozen W, Cerhan JR, Martinez-Maza O, Ward MH, Linet M, Colt JS, Davis S, Severson RK, Hartge P, Bernstein L. The effect of atopy, childhood crowding, and other immune-related factors on non-Hodgkin lymphoma risk. *Cancer Causes Control* 2007;18:821-31.

84. Craig TJ, King TS, Lemanske RF, Jr., Wechsler ME, Icitovic N, Zimmerman RR, Jr., Wasserman S. Aeroallergen sensitization correlates with PC(20) and exhaled nitric oxide in subjects with mild-to-moderate asthma. *J Allergy Clin Immunol* 2008;121:671-7.
85. Cranston JM, Crockett AJ, Moss JR, Pegram RW, Stocks NP. Models of chronic disease management in primary care for patients with mild-to-moderate asthma or COPD: a narrative review. *Med J Aust* 2008;188:S50-2.
86. Crisafulli D, Almqvist C, Marks G, Tovey E. Seasonal trends in house dust mite allergen in children's beds over a 7-year period. *Allergy* 2007;62:1394-400.
87. Cruz-Correia R, Fonseca J, Lima L, Araujo L, Delgado L, Castel-Branco MG, Costa-Pereira A. Web-based or paper-based self-management tools for asthma--patients' opinions and quality of data in a randomized crossover study. *Stud Health Technol Inform* 2007;127:178-89.
88. Cunningham S, Logan C, Lockerbie L, Dunn MJ, McMurray A, Prescott RJ. Effect of an integrated care pathway on acute asthma/wheeze in children attending hospital: cluster randomized trial. *J Pediatr* 2008;152:315-20.
89. Dahiya B, Mathew JL, Singh M. Randomized trial of spacers in asthma. *Indian J Pediatr* 2007;74:631-5.
90. De Backer JW, Vos WG, Devolder A, Verhulst SL, Germonpre P, Wuyts FL, Parizel PM, De Backer W. Computational fluid dynamics can detect changes in airway resistance in asthmatics after acute bronchodilation. *J Biomech* 2008;41:106-13.
91. de Blay F, Barnig C, Kanny G, Purohit A, Leynadier F, Tunon de Lara JM, Chabane H, Guerin L. Sublingual-swallow immunotherapy with standardized 3-grass pollen extract: a double-blind, placebo-controlled study. *Ann Allergy Asthma Immunol* 2007;99:453-61.
92. de Matas M, Shao Q, Richardson CH, Chrystyn H. Evaluation of in vitro in vivo correlations for dry powder inhaler delivery using artificial neural networks. *Eur J Pharm Sci* 2008;33:80-90.
93. Demeo DL, Campbell EJ, Barker AF, Brantly ML, Eden E, McElvaney NG, Rennard SI, Sandhaus RA, Stocks JM, Stoller JK, Strange C, Turino G, Silverman EK. IL10 polymorphisms are associated with airflow obstruction in severe alpha1-antitrypsin deficiency. *Am J Respir Cell Mol Biol* 2008;38:114-20.
94. Demeo DL, Sandhaus RA, Barker AF, Brantly ML, Eden E, McElvaney NG, Rennard S, Burchard E, Stocks JM, Stoller JK, Strange C, Turino GM, Campbell EJ, Silverman EK. Determinants of airflow obstruction in severe alpha-1-antitrypsin deficiency. *Thorax* 2007;62:806-13.
95. Deniz YM, Gupta N. Safety and tolerability of omalizumab (Xolair), a recombinant humanized monoclonal anti-IgE antibody. *Clin Rev Allergy Immunol* 2005;29:31-48.
96. Descatha A, Leproust H, Choudat D, Garnier R, Pairon JC, Ameille J. Factors associated with severity of occupational asthma with a latency period at diagnosis. *Allergy* 2007;62:795-801.
97. Diba C, Salome CM, Reddel HK, Thorpe CW, Toelle B, King GG. Short-term variability of airway caliber-a marker of asthma? *J Appl Physiol* 2007;103:296-304.
98. Diette GB, Hansel NN, Buckley TJ, Curtin-Brosnan J, Eggleston PA, Matsui EC, McCormack MC, Williams DL, Breyse PN. Home indoor pollutant exposures among inner-city children with and without asthma. *Environ Health Perspect* 2007;115:1665-9.
99. Dillman JR, Ellis JH, Cohan RH, Strouse PJ, Jan SC. Frequency and severity of acute allergic-like reactions to gadolinium-containing i.v. contrast media in children and adults. *AJR Am J Roentgenol* 2007;189:1533-8.
100. Djaladat H, Tajik P, Fard SA, Alehashemi S. The effect of aminophylline on renal colic: a randomized double blind controlled trial. *South Med J* 2007;100:1081-4.
101. Donald KJ, McBurney H, Teichtahl H, Irving L. A pilot study of telephone based asthma management. *Aust Fam Physician* 2008;37:170-3.
102. dos Santos LH, Ribeiro IO, Sanchez PG, Hetzel JL, Felicetti JC, Cardoso PF. Evaluation of pantoprazol treatment response of patients with asthma and gastroesophageal reflux: a

- randomized prospective double-blind placebo-controlled study. *J Bras Pneumol* 2007;33:119-27.
103. Drake KA, Galanter JM, Burchard EG. Race, ethnicity and social class and the complex etiologies of asthma. *Pharmacogenomics* 2008;9:453-62.
104. Dressel H, Gross C, de la Motte D, Sultz J, Jorres RA, Nowak D. Educational intervention decreases exhaled nitric oxide in farmers with occupational asthma. *Eur Respir J* 2007;30:545-8.
105. Ducharme FM, Chalut D, Plotnick L, Savdie C, Kudirka D, Zhang X, Meng L, McGillivray D. The Pediatric Respiratory Assessment Measure: a valid clinical score for assessing acute asthma severity from toddlers to teenagers. *J Pediatr* 2008;152:476-80, 480 e1.
106. Dunder T, Tapiainen T, Pokka T, Uhari M. Infections in child day care centers and later development of asthma, allergic rhinitis, and atopic dermatitis: prospective follow-up survey 12 years after controlled randomized hygiene intervention. *Arch Pediatr Adolesc Med* 2007;161:972-7.
107. Duong M, Subbarao P, Adelroth E, Obminski G, Strinich T, Inman M, Pedersen S, O'Byrne PM. Sputum eosinophils and the response of exercise-induced bronchoconstriction to corticosteroid in asthma. *Chest* 2008;133:404-11.
108. Ebrahimi S, Sarkari B. Comparative efficacy of dexamethasone versus hydrocortisone in severe acute pediatric asthma. *Iran J Allergy Asthma Immunol* 2007;6:159-60.
109. Eden E, Holbrook JT, Brantly ML, Turino GM, Wise RA. Prevalence of alpha-1 antitrypsin deficiency in poorly controlled asthma--results from the ALA-ACRC low-dose theophylline trial. *J Asthma* 2007;44:605-8.
110. Edwards SJ, Gruffydd-Jones K, Ryan DP. Systematic review and meta-analysis of budesonide/formoterol in a single inhaler. *Curr Med Res Opin* 2007;23:1809-20.
111. Elliott RA, Barber N, Clifford S, Horne R, Hartley E. The cost effectiveness of a telephone-based pharmacy advisory service to improve adherence to newly prescribed medicines. *Pharm World Sci* 2008;30:17-23.
112. Ellison-Loschmann L, Benavente Y, Douwes J, Buendia E, Font R, Alvaro T, Kogevinas M, de Sanjose S. Immunoglobulin E levels and risk of lymphoma in a case-control study in Spain. *Cancer Epidemiol Biomarkers Prev* 2007;16:1492-8.
113. Emad A, Emad Y. Relationship between airway reactivity induced by methacholine or ultrasonically nebulized distilled cold water and BAL fluid cellular constituents in patients with sulfur mustard gas-induced asthma. *J Aerosol Med* 2007;20:342-51.
114. Ernst P, Franssen E, Chan CK, Okell M, O'Byrne P, Bai T. Predictors of a more favourable response to combined therapy with salmeterol and fluticasone as initial maintenance therapy in asthma. *Respir Med* 2008;102:77-81.
115. Esposito-Festen JE, Zanen P, Tiddens HA, Lammers JW. Pharmacokinetics of inhaled monodisperse beclomethasone as a function of particle size. *Br J Clin Pharmacol* 2007;64:328-34.
116. Fanelli A, Cabral AL, Neder JA, Martins MA, Carvalho CR. Exercise training on disease control and quality of life in asthmatic children. *Med Sci Sports Exerc* 2007;39:1474-80.
117. Faradzheva NA. [Efficiency of a combination of haloaerosols and helium-neon laser in the multimodality treatment of patients with bronchial asthma]. *Probl Tuberk Bolezn Legk* 2007;50-3.
118. Fishwick D, Bradshaw L, Davies J, Henson M, Stenton C, Burge S, Niven R, Warburton CJ, Hendrick D, Rogers T, Rawbone R, Curran AD. Are we failing workers with symptoms suggestive of occupational asthma? *Prim Care Respir J* 2007;16:304-10.
119. Fitzgerald JM, Chan CK, Holroyde MC, Boulet LP. The CASE survey: patient and physician perceptions regarding asthma medication use and associated oropharyngeal symptoms. *Can Respir J* 2008;15:27-32.

120. Flood-Page P, Swenson C, Faiferman I, Matthews J, Williams M, Brannick L, Robinson D, Wenzel S, Busse W, Hansel TT, Barnes NC. A study to evaluate safety and efficacy of mepolizumab in patients with moderate persistent asthma. *Am J Respir Crit Care Med* 2007;176:1062-71.
121. Foggs MB. Guidelines management of asthma in a busy urban practice. *Curr Opin Pulm Med* 2008;14:46-56.
122. Fox P, Porter PG, Lob SH, Boer JH, Rocha DA, Adelson JW. Improving asthma-related health outcomes among low-income, multiethnic, school-aged children: results of a demonstration project that combined continuous quality improvement and community health worker strategies. *Pediatrics* 2007;120:e902-11.
123. Fraj J, Valero A, Vives R, Perez I, Borja J, Izquierdo I, Picado C. Safety of triflusal (antiplatelet drug) in patients with aspirin-exacerbated respiratory diseases. *Allergy* 2008;63:112-5.
124. Friedmann PS, Palmer R, Tan E, Ogboli M, Barclay G, Hotchkiss K, Berth-Jones J. A double-blind, placebo-controlled trial of montelukast in adult atopic eczema. *Clin Exp Allergy* 2007;37:1536-40.
125. Frisk M, Magnuson A, Kiviloog J, Ivarsson AB, Kamwendo K. Increased occurrence of respiratory symptoms is associated with indoor climate risk indicators - a cross-sectional study in a Swedish population. *Respir Med* 2007;101:2031-5.
126. Fritz GK, Adams SK, McQuaid EL, Klein R, Kopel S, Nassau J, Mansell A. Symptom perception in pediatric asthma: resistive loading and in vivo assessment compared. *Chest* 2007;132:884-9.
127. Galant SP, Morphew T, Amaro S, Liao O. Value of the bronchodilator response in assessing controller naive asthmatic children. *J Pediatr* 2007;151:457-62, 462 e1.
128. Galli E, Gianni S, Di Fazio A, Brunetti E, Di Berardino L. Comparison of traditional and abbreviated salbutamol aerosol therapy using a new spacer mouth mask. *Allergy Asthma Proc* 2007;28:688-90.
129. Garcia-Martin E, Garcia-Menaya J, Sanchez B, Martinez C, Rosendo R, Agundez JA. Polymorphisms of histamine-metabolizing enzymes and clinical manifestations of asthma and allergic rhinitis. *Clin Exp Allergy* 2007;37:1175-82.
130. Gautam P, Sundaram CS, Madan T, Gade WN, Shah A, Sirdeshmukh R, Sarma PU. Identification of novel allergens of *Aspergillus fumigatus* using immunoproteomics approach. *Clin Exp Allergy* 2007;37:1239-49.
131. Gauvreau GM, Boulet LP, Cockcroft DW, Baatjes A, Cote J, Deschesnes F, Davis B, Strinich T, Howie K, Duong M, Watson RM, Renzi PM, O'Byrne PM. Antisense therapy against CCR3 and the common beta chain attenuates allergen-induced eosinophilic responses. *Am J Respir Crit Care Med* 2008;177:952-8.
132. Gerald LB, McClure LA, Harrington KF, Mangan JM, Gibson L, Atchison J, Grad R. Design of the supervised asthma therapy study: implementing an adherence intervention in urban elementary schools. *Contemp Clin Trials* 2008;29:304-10.
133. Getahun D, Ananth CV, Oyelese Y, Peltier MR, Smulian JC, Vintzileos AM. Acute and chronic respiratory diseases in pregnancy: associations with spontaneous premature rupture of membranes. *J Matern Fetal Neonatal Med* 2007;20:669-75.
134. Gibson PG, Taramaraz P, McDonald VM. Use of omalizumab in a severe asthma clinic. *Respirology* 2007;12 Suppl 3:S35-44; discussion S45-7.
135. Gijsbers B, Mesters I, Knottnerus JA, van Schayck CP. Factors associated with the duration of exclusive breast-feeding in asthmatic families. *Health Educ Res* 2008;23:158-69.
136. Gillissen A, Richter A, Oster H, Criece CP. Efficacy and safety of once or twice daily inhalation of extrafine HFA beclomethasone dipropionate in patients with mild to moderate asthma. *J Physiol Pharmacol* 2007;58 Suppl 5:233-41.

137. Giovannini M, Agostoni C, Riva E, Salvini F, Ruscitto A, Zuccotti GV, Radaelli G. A randomized prospective double blind controlled trial on effects of long-term consumption of fermented milk containing *Lactobacillus casei* in pre-school children with allergic asthma and/or rhinitis. *Pediatr Res* 2007;62:215-20.
138. Gordon S, Tompkins T, Dayan PS. Randomized trial of single-dose intramuscular dexamethasone compared with prednisolone for children with acute asthma. *Pediatr Emerg Care* 2007;23:521-7.
139. Gossec L, Tubach F, Dougados M, Ravaud P. Reporting of adherence to medication in recent randomized controlled trials of 6 chronic diseases: a systematic literature review. *Am J Med Sci* 2007;334:248-54.
140. Grassi M, Nucera A, Zanolin E, Omenaas E, Anto JM, Leynaert B. Performance comparison of Likert and binary formats of SF-36 version 1.6 across ECRHS II adults populations. *Value Health* 2007;10:478-88.
141. Hagan L, Valois P, Patenaude H, Boutin H, Boulet LP, Lafreniere F. Asthma counselling targeted to removal of domestic animals. *Can Respir J* 2008;15:33-8.
142. Hallstrand TS, Chi EY, Singer AG, Gelb MH, Henderson WR, Jr. Secreted phospholipase A2 group X overexpression in asthma and bronchial hyperresponsiveness. *Am J Respir Crit Care Med* 2007;176:1072-8.
143. Halterman JS, Borrelli B, Fisher S, Szilagyi P, Yoos L. Improving care for urban children with asthma: design and methods of the School-Based Asthma Therapy (SBAT) trial. *J Asthma* 2008;45:279-86.
144. Hames H, Seabrook JA, Matsui D, Rieder MJ, Joubert GI. A palatability study of a flavored dexamethasone preparation versus prednisolone liquid in children. *Can J Clin Pharmacol* 2008;15:e95-8.
145. Hamilos DL, D'Urzo A, Levy RJ, Marcus M, Tripp K, Parsey M, Baumgartner RA, McVicar WK. Long-term safety study of levalbuterol administered via metered-dose inhaler in patients with asthma. *Ann Allergy Asthma Immunol* 2007;99:540-8.
146. Hampel FC, Martin P, Mezzanotte WS. Early bronchodilatory effects of budesonide/formoterol pMDI compared with fluticasone/salmeterol DPI and albuterol pMDI: 2 randomized controlled trials in adults with persistent asthma previously treated with inhaled corticosteroids. *J Asthma* 2008;45:265-72.
147. Hanania NA, Singh S, El-Wali R, Flashner M, Franklin AE, Garner WJ, Dickey BF, Parra S, Ruoss S, Shardonofsky F, O'Connor BJ, Page C, Bond RA. The safety and effects of the beta-blocker, nadolol, in mild asthma: an open-label pilot study. *Pulm Pharmacol Ther* 2008;21:134-41.
148. Harnest U, Price D, Howes T, Sussman G. Comparison of mometasone furoate dry powder inhaler and fluticasone propionate dry powder inhaler in patients with moderate to severe persistent asthma requiring high-dose inhaled corticosteroid therapy: findings from a noninferiority trial. *J Asthma* 2008;45:215-20.
149. Hatsushika K, Hirota T, Harada M, Sakashita M, Kanzaki M, Takano S, Doi S, Fujita K, Enomoto T, Ebisawa M, Yoshihara S, Sagara H, Fukuda T, Masuyama K, Katoh R, Matsumoto K, Saito H, Ogawa H, Tamari M, Nakao A. Transforming growth factor-beta(2) polymorphisms are associated with childhood atopic asthma. *Clin Exp Allergy* 2007;37:1165-74.
150. Haussermann S, Acerbi D, Brand P, Herpich C, Poli G, Sommerer K, Meyer T. Lung deposition of formoterol HFA (Atimos/Forair) in healthy volunteers, asthmatic and COPD patients. *J Aerosol Med* 2007;20:331-41.
151. Havemann BD, Henderson CA, El-Serag HB. The association between gastro-oesophageal reflux disease and asthma: a systematic review. *Gut* 2007;56:1654-64.
152. Haverkamp HC, Dempsey JA, Pegelow DF, Miller JD, Romer LM, Santana M, Eldridge MW. Treatment of airway inflammation improves exercise pulmonary gas exchange and performance in asthmatic subjects. *J Allergy Clin Immunol* 2007;120:39-47.

153. Hay AD, Gorst C, Montgomery A, Peters TJ, Fahey T. Validation of a clinical rule to predict complications of acute cough in preschool children: a prospective study in primary care. *Br J Gen Pract* 2007;57:530-7.
154. Heijink IH, Kauffman HF, Vellenga E, Veltman-Starkenburger CA, Postma DS, de Monchy JG. Effect of ciclesonide treatment on allergen-induced changes in T cell regulation in asthma. *Int Arch Allergy Immunol* 2008;145:111-21.
155. Hoeks SB, de Groot H, Hoekstra MO. [Sublingual immunotherapy in children with asthma or rhinoconjunctivitis: not enough evidence because of poor quality of the studies; a systematic review of literature]. *Ned Tijdschr Geneesk* 2008;152:261-8.
156. Holloway EA, West RJ. Integrated breathing and relaxation training (the Papworth method) for adults with asthma in primary care: a randomised controlled trial. *Thorax* 2007;62:1039-42.
157. Hopkins C, Browne JP, Slack R, Lund V, Brown P. The Lund-Mackay staging system for chronic rhinosinusitis: how is it used and what does it predict? *Otolaryngol Head Neck Surg* 2007;137:555-61.
158. Houghton CM, Lawson N, Borrill ZL, Wixon CL, Yoxall S, Langley SJ, Woodcock A, Singh D. Comparison of the effects of salmeterol/fluticasone propionate with fluticasone propionate on airway physiology in adults with mild persistent asthma. *Respir Res* 2007;8:52.
159. Hsieh CC, Goto H, Kobayashi H, Chow WC, Peng WH, Tang RB. Changes in serum eosinophil cationic protein levels after exercise challenge in asthmatic children. *J Asthma* 2007;44:569-73.
160. Hsu RT, Crawford WW, Klaustermeyer WB. Emergency department utilization by patients not meeting Health Plan and Employer Data and Information Set (HEDIS) criteria for persistent asthma. *Allergy Asthma Proc* 2008;29:62-6.
161. Huang LH, Shyur SD, Wen DC, Chang YC, Ma YC, Lin SC, Wu WC, Wu JY. Prednisolone oral solution plus inhaled procaterol for acute asthma in children: a double-blind randomized controlled trial. *Acta Paediatr Taiwan* 2007;48:257-62.
162. Hui J, Oka A, James A, Palmer LJ, Musk AW, Beilby J, Inoko H. A genome-wide association scan for asthma in a general Australian population. *Hum Genet* 2008;123:297-306.
163. Humbert M, Berger W, Rapatz G, Turk F. Add-on omalizumab improves day-to-day symptoms in inadequately controlled severe persistent allergic asthma. *Allergy* 2008;63:592-6.
164. Ibanez MD, Kaiser F, Knecht R, Armentia A, Schopfer H, Tholstrup B, Bufe A. Safety of specific sublingual immunotherapy with SQ standardized grass allergen tablets in children. *Pediatr Allergy Immunol* 2007;18:516-22.
165. Imboden M, Rochat T, Brutsche M, Schindler C, Downs SH, Gerbase MW, Berger W, Probst-Hensch NM. Glutathione S-transferase genotype increases risk of progression from bronchial hyperresponsiveness to asthma in adults. *Thorax* 2008;63:322-8.
166. Ip S, Chung M, Raman G, Chew P, Magula N, DeVine D, Trikalinos T, Lau J. Breastfeeding and maternal and infant health outcomes in developed countries. *Evid Rep Technol Assess (Full Rep)* 2007:1-186.
167. Isola D, Kimber I, Sarlo K, Lalko J, Sipes IG. Chemical respiratory allergy and occupational asthma: what are the key areas of uncertainty? *J Appl Toxicol* 2008;28:249-53.
168. Jaakkola MS, Jaakkola JJ. Office work exposures and adult-onset asthma. *Environ Health Perspect* 2007;115:1007-11.
169. Jacobsen L, Niggemann B, Dreborg S, Ferdousi HA, Halken S, Host A, Koivikko A, Norberg LA, Valovirta E, Wahn U, Moller C. Specific immunotherapy has long-term preventive effect of seasonal and perennial asthma: 10-year follow-up on the PAT study. *Allergy* 2007;62:943-8.
170. Jan RL, Wang JY, Huang MC, Tseng SM, Su HJ, Liu LF. An internet-based interactive telemonitoring system for improving childhood asthma outcomes in Taiwan. *Telemed J E Health* 2007;13:257-68.

171. Jartti T, Lehtinen P, Vanto T, Vuorinen T, Hiekkanen H, Hartiala J, Makela MJ, Ruuskanen O. Atopic characteristics of wheezing children and responses to prednisolone. *Pediatr Pulmonol* 2007;42:1125-33.
172. Jenkins J, Shields M, Patterson C, Kee F. Decision making in asthma exacerbation: a clinical judgement analysis. *Arch Dis Child* 2007;92:672-7.
173. Jenneck C, Juergens U, Buecheler M, Novak N. Pathogenesis, diagnosis, and treatment of aspirin intolerance. *Ann Allergy Asthma Immunol* 2007;99:13-21.
174. Johnston NW, Mandhane PJ, Dai J, Duncan JM, Greene JM, Lambert K, Sears MR. Attenuation of the September epidemic of asthma exacerbations in children: a randomized, controlled trial of montelukast added to usual therapy. *Pediatrics* 2007;120:e702-12.
175. Joos S, Miksch A, Szecsenyi J, Wieseler B, Grouven U, Kaiser T, Schneider A. Montelukast as add-on therapy to inhaled corticosteroids in the treatment of mild to moderate asthma: a systematic review. *Thorax* 2008;63:453-62.
176. Juvonen R, Bloigu A, Peitso A, Silvennoinen-Kassinen S, Saikku P, Leinonen M, Hassi J, Harju T. Training improves physical fitness and decreases CRP also in asthmatic conscripts. *J Asthma* 2008;45:237-42.
177. Kalhan R, Smith LJ, Nlend MC, Nair A, Hixon JL, Sporn PH. A mechanism of benefit of soy genistein in asthma: inhibition of eosinophil p38-dependent leukotriene synthesis. *Clin Exp Allergy* 2008;38:103-12.
178. Kamps AW, Brouwer AF, Roorda RJ, Brand PL. [Treatment of asthma in children: revised international guidelines not suitable for use in the Netherlands]. *Ned Tijdschr Geneesk* 2008;152:1151-5.
179. Kariyawasam HH, Xanthou G, Barkans J, Aizen M, Kay AB, Robinson DS. Basal expression of bone morphogenetic protein receptor is reduced in mild asthma. *Am J Respir Crit Care Med* 2008;177:1074-81.
180. Katon W, Lozano P, Russo J, McCauley E, Richardson L, Bush T. The prevalence of DSM-IV anxiety and depressive disorders in youth with asthma compared with controls. *J Adolesc Health* 2007;41:455-63.
181. Kattan M, Gergen PJ, Eggleston P, Visness CM, Mitchell HE. Health effects of indoor nitrogen dioxide and passive smoking on urban asthmatic children. *J Allergy Clin Immunol* 2007;120:618-24.
182. Kawai M, Kempford R, Pullerits T, Takaori S, Hashimoto K, Takemoto Y, Lotvall J. Comparison of the efficacy of salmeterol/fluticasone propionate combination in Japanese and Caucasian asthmatics. *Respir Med* 2007;101:2488-94.
183. Kawai S, Baba K, Matsubara A, Shiono H, Okada T, Yamaguchi E. The efficacy of montelukast and airway mast cell profiles in patients with cough variant asthma. *J Asthma* 2008;45:243-50.
184. Kaya Z, Turktas I. Correlation of clinical score to pulmonary function and oxygen saturation in children with asthma attack. *Allergol Immunopathol (Madr)* 2007;35:169-73.
185. Kearns GL, Lu S, Maganti L, Li XS, Migoya E, Ahmed T, Knorr B, Reiss TF. Pharmacokinetics and safety of montelukast oral granules in children 1 to 3 months of age with bronchiolitis. *J Clin Pharmacol* 2008;48:502-11.
186. Kemp J, Turck CJ, York JM. Evaluation of albuterol 1.25 mg and 0.62 mg for nebulization in 6- to 12-year-old children with moderately severe asthma. *Adv Ther* 2007;24:463-77.
187. Kennedy WA, Girard F, Chaboillez S, Cartier A, Cote J, Hargreave F, Labrecque M, Malo JL, Tarlo SM, Redlich CA, Lemiere C. Cost-effectiveness of various diagnostic approaches for occupational asthma. *Can Respir J* 2007;14:276-80.
188. Kerwin EM, Nathan RA, Meltzer EO, Ortega HG, Yancey SW, Schoaf L, Dorinsky PM. Efficacy and safety of fluticasone propionate/salmeterol 250/50 mcg Diskus administered once daily. *Respir Med* 2008;102:495-504.

189. Khemiri M, Barsaoui S. [Infancy asthma: diagnostic and therapeutic approach]. *Tunis Med* 2007;85:715-21.
190. Khor YH, Feltis BN, Reid DW, Ward C, Johns DP, Wood-Baker R, Walters EH. Airway cell and cytokine changes in early asthma deterioration after inhaled corticosteroid reduction. *Clin Exp Allergy* 2007;37:1189-98.
191. Kim JH, Lee SY, Kim HB, Jin HS, Yu JH, Kim BJ, Kim BS, Kang MJ, Jang SO, Hong SJ. TBXA2R gene polymorphism and responsiveness to leukotriene receptor antagonist in children with asthma. *Clin Exp Allergy* 2008;38:51-9.
192. Kim K, Quesada J, Szmaydy-Rikken N, Darken P, Shah T. Intranasal ciclesonide coadministration with inhaled fluticasone propionate-salmeterol does not suppress cortisol in allergic rhinitis patients. *J Asthma* 2007;44:515-20.
193. Kim KT, Milgrom H, Yoon YK, Levy AL, Matz P, Welch MJ, Cahn A, Collins DA, Kathman S, Mehta R, Su SF, Kunka RL. Systemic exposure and urinary cortisol effects of fluticasone propionate formulated with hydrofluoroalkane in 4- to 11-year-olds with asthma. *J Clin Pharmacol* 2008;48:108-16.
194. Kistler A, Avila PC, Rouskin S, Wang D, Ward T, Yagi S, Schnurr D, Ganem D, DeRisi JL, Boushey HA. Pan-viral screening of respiratory tract infections in adults with and without asthma reveals unexpected human coronavirus and human rhinovirus diversity. *J Infect Dis* 2007;196:817-25.
195. Klinnert MD, Liu AH, Pearson MR, Tong S, Strand M, Luckow A, Robinson JL. Outcome of a randomized multifaceted intervention with low-income families of wheezing infants. *Arch Pediatr Adolesc Med* 2007;161:783-90.
196. Kmiecik T, Arnoux S, Kobryn A, Gorski P. Influenza vaccination in adults with asthma: safety of an inactivated trivalent influenza vaccine. *J Asthma* 2007;44:817-22.
197. Knox A, Langan J, Martinot JB, Gruss C, Hafner D. Comparison of a step-down dose of once-daily ciclesonide with a continued dose of twice-daily fluticasone propionate in maintaining control of asthma. *Curr Med Res Opin* 2007;23:2387-94.
198. Koenig SM, Murray JJ, Wolfe J, Andersen L, Yancey S, Prillaman B, Stauffer J, Dorinsky P. Does measuring BHR add to guideline derived clinical measures in determining treatment for patients with persistent asthma? *Respir Med* 2008;102:665-73.
199. Koga T, Matsuse H, Kohrogi H, Kohno S, Aizawa H. Impact of nasal condition on self-assessed disease control and treatment satisfaction in patients with asthma complicated by allergic rhinitis. *Allergol Int* 2007;56:427-31.
200. Kogevinas M, Zock JP, Jarvis D, Kromhout H, Lillienberg L, Plana E, Radon K, Toren K, Alliksoo A, Benke G, Blanc PD, Dahlman-Hoglund A, D'Errico A, Hery M, Kennedy S, Kunzli N, Leynaert B, Mirabelli MC, Muniozguren N, Norback D, Olivieri M, Payo F, Villani S, van Sprundel M, Urrutia I, Wieslander G, Sunyer J, Anto JM. Exposure to substances in the workplace and new-onset asthma: an international prospective population-based study (ECRHS-II). *Lancet* 2007;370:336-41.
201. Koh MS, Tee A, Lasserson TJ, Irving LB. Inhaled corticosteroids compared to placebo for prevention of exercise induced bronchoconstriction. *Cochrane Database Syst Rev* 2007:CD002739.
202. Kostikas K, Papaioannou AI, Tanou K, Koutsokera A, Papala M, Gourgoulisanis KI. Portable exhaled nitric oxide as a screening tool for asthma in young adults during pollen season. *Chest* 2008;133:906-13.
203. Kramer MS, Matush L, Vanilovich I, Platt R, Bogdanovich N, Sevkovskaya Z, Dzikovich I, Shishko G, Mazer B. Effect of prolonged and exclusive breast feeding on risk of allergy and asthma: cluster randomised trial. *BMJ* 2007;335:815.
204. Kroidl RF, Schwichtenberg U, Frank E. [Bronchial asthma due to storage mite allergy]. *Pneumologie* 2007;61:525-30.

205. Kumar V, Ramesh P, Lodha R, Pandey RM, Kabra SK. Montelukast vs. inhaled low-dose budesonide as monotherapy in the treatment of mild persistent asthma: a randomized double blind controlled trial. *J Trop Pediatr* 2007;53:325-30.
206. Kurt E, Metintas S, Basyigit I, Bulut I, Coskun E, Dabak S, Deveci F, Fidan F, Kaynar H, Uzaslan EK, Onbasi K, Ozkurt S, Pasaoglu G, Sahan S, Sahin U, Oguzulgen K, Yildiz F, Mungan D, Yorgancioglu A, Gemicioglu B, Fuat Kalyoncu A. Prevalence and risk factors of allergies in Turkey: Results of a multicentric cross-sectional study in children. *Pediatr Allergy Immunol* 2007;18:566-74.
207. Laerum BN, Svanes C, Wentzel-Larsen T, Gulsvik A, Toren K, Norrman E, Gislason T, Janson C, Omenaas E. Young maternal age at delivery is associated with asthma in adult offspring. *Respir Med* 2007;101:1431-8.
208. Laerum BN, Wentzel-Larsen T, Gulsvik A, Omenaas E, Gislason T, Janson C, Svanes C. Relationship of fish and cod oil intake with adult asthma. *Clin Exp Allergy* 2007;37:1616-23.
209. LaForce C, Alexander M, Deckelmann R, Fabbri LM, Aisanov Z, Cameron R, Owen R, Higgins M. Indacaterol provides sustained 24 h bronchodilation on once-daily dosing in asthma: a 7-day dose-ranging study. *Allergy* 2008;63:103-11.
210. Lau SK, Yip CC, Tsoi HW, Lee RA, So LY, Lau YL, Chan KH, Woo PC, Yuen KY. Clinical features and complete genome characterization of a distinct human rhinovirus (HRV) genetic cluster, probably representing a previously undetected HRV species, HRV-C, associated with acute respiratory illness in children. *J Clin Microbiol* 2007;45:3655-64.
211. Laurent O, Pedrono G, Segala C, Filleul L, Havard S, Deguen S, Schillinger C, Riviere E, Bard D. Air pollution, asthma attacks, and socioeconomic deprivation: a small-area case-crossover study. *Am J Epidemiol* 2008;168:58-65.
212. Leclerc V, Lafferre M, Pavia D. Acute local tolerability of acidic aqueous vehicles delivered via Respimat Soft Mist Inhaler in hyperreactive asthma patients. *Respiration* 2007;74:691-6.
213. Lee-Wong M, Chou V, Ogawa Y. Formoterol fumarate inhalation powder vs albuterol nebulizer for the treatment of asthma in the acute care setting. *Ann Allergy Asthma Immunol* 2008;100:146-52.
214. Lemiere C, Forget A, Dufour MH, Boulet LP, Blais L. Characteristics and medical resource use of asthmatic subjects with and without work-related asthma. *J Allergy Clin Immunol* 2007;120:1354-9.
215. Liaw ST, Sulaiman ND, Barton CA, Chondros P, Harris CA, Sawyer S, Dharmage SC. An interactive workshop plus locally adapted guidelines can improve general practitioners asthma management and knowledge: a cluster randomised trial in the Australian setting. *BMC Fam Pract* 2008;9:22.
216. Liem JJ, Kozyrskyj AL, Cockroft DW, Becker AB. Diagnosing asthma in children: what is the role for methacholine bronchoprovocation testing? *Pediatr Pulmonol* 2008;43:481-9.
217. Liu Y, Bello D, Sparer JA, Stowe MH, Gore RJ, Woskie SR, Cullen MR, Redlich CA. Skin exposure to aliphatic polyisocyanates in the auto body repair and refinishing industry: a qualitative assessment. *Ann Occup Hyg* 2007;51:429-39.
218. Lizaso MT, Tabar AI, Garcia BE, Gomez B, Algorta J, Asturias JA, Martinez A. Double-blind, placebo-controlled *Alternaria alternata* immunotherapy: in vivo and in vitro parameters. *Pediatr Allergy Immunol* 2008;19:76-81.
219. Lonnebo A, Grahnen A, Karlsson MO. An integrated model for the effect of budesonide on ACTH and cortisol in healthy volunteers. *Br J Clin Pharmacol* 2007;64:125-32.
220. Loppow D, Huland E, Heinzer H, Gronke L, Magnussen H, Holz O, Jorres RA. Interleukin-2 inhalation therapy temporarily induces asthma-like airway inflammation. *Eur J Med Res* 2007;12:556-62.
221. Luijk B, van den Berge M, Kerstjens HA, Postma DS, Cass L, Sabin A, Lammers JW. Effect of an inhaled adenosine A2A agonist on the allergen-induced late asthmatic response. *Allergy* 2008;63:75-80.

222. Lurie A, Marsala C, Hartley S, Bouchon-Meunier B, Dusser D. Patients' perception of asthma severity. *Respir Med* 2007;101:2145-52.
223. Lyon-Callo SK, Boss LP, Lara M. A review of potential state and local policies to reduce asthma disparities. *Chest* 2007;132:840S-852S.
224. Lyte G, Milnes L, Keating P, Finke A. Review management for children with asthma in primary care: a qualitative case study. *J Clin Nurs* 2007;16:123-32.
225. MacDonald C, Sternberg A, Hunter PR. A systematic review and meta-analysis of interventions used to reduce exposure to house dust and their effect on the development and severity of asthma. *Environ Health Perspect* 2007;115:1691-5.
226. Machura E, Mazur B, Pieniazek W, Karczewska K. Expression of naive/memory (CD45RA/CD45RO) markers by peripheral blood CD4+ and CD8 + T cells in children with asthma. *Arch Immunol Ther Exp (Warsz)* 2008;56:55-62.
227. Magnan A, Meunier JP, Saugnac C, Gasteau J, Neukirch F. Frequency and impact of allergic rhinitis in asthma patients in everyday general medical practice: a French observational cross-sectional study. *Allergy* 2008;63:292-8.
228. Magnussen H, Hofman J, Staneta P, Lawo JP, Hellwig M, Engelstatter R. Similar efficacy of ciclesonide once daily versus fluticasone propionate twice daily in patients with persistent asthma. *J Asthma* 2007;44:555-63.
229. Mancuso CA, Wenderoth S, Westermann H, Choi TN, Briggs WM, Charlson ME. Patient-reported and physician-reported depressive conditions in relation to asthma severity and control. *Chest* 2008;133:1142-8.
230. Maneechotesuwan K, Essilfie-Quaye S, Kharitonov SA, Adcock IM, Barnes PJ. Loss of control of asthma following inhaled corticosteroid withdrawal is associated with increased sputum interleukin-8 and neutrophils. *Chest* 2007;132:98-105.
231. Maneechotesuwan K, Supawita S, Kasetinsombat K, Wongkajornsilp A, Barnes PJ. Sputum indoleamine-2, 3-dioxygenase activity is increased in asthmatic airways by using inhaled corticosteroids. *J Allergy Clin Immunol* 2008;121:43-50.
232. Marshall NS, Almqvist C, Grunstein RR, Marks GB. Predictors for snoring in children with rhinitis at age 5. *Pediatr Pulmonol* 2007;42:584-91.
233. Martinon-Torres F, Rodriguez-Nunez A, Martinon-Sanchez JM. Nasal continuous positive airway pressure with heliox versus air oxygen in infants with acute bronchiolitis: a crossover study. *Pediatrics* 2008;121:e1190-5.
234. Mastalerz L, Sanak M, Gawlewicz-Mrocza A, Gielicz A, Cmiel A, Szczeklik A. Prostaglandin E2 systemic production in patients with asthma with and without aspirin hypersensitivity. *Thorax* 2008;63:27-34.
235. Mastrorade JG, Wise RA, Shade DM, Olopade CO, Scharf SM. Sleep quality in asthma: results of a large prospective clinical trial. *J Asthma* 2008;45:183-9.
236. Maykut RJ, Kianifard F, Geba GP. Response of older patients with IgE-mediated asthma to omalizumab: a pooled analysis. *J Asthma* 2008;45:173-81.
237. McClure LA, Harrington KF, Graham H, Gerald LB. Internet-based monitoring of asthma symptoms, peak flow meter readings, and absence data in a school-based clinical trial. *Clin Trials* 2008;5:31-7.
238. McCreanor J, Cullinan P, Nieuwenhuijsen MJ, Stewart-Evans J, Malliarou E, Jarup L, Harrington R, Svartengren M, Han IK, Ohman-Strickland P, Chung KF, Zhang J. Respiratory effects of exposure to diesel traffic in persons with asthma. *N Engl J Med* 2007;357:2348-58.
239. Mehta V, Campeau NG, Kita H, Hagan JB. Blood and sputum eosinophil levels in asthma and their relationship to sinus computed tomographic findings. *Mayo Clin Proc* 2008;83:671-8.
240. Mehuys E, Van Bortel L, De Bolle L, Van Tongelen I, Annemans L, Remon JP, Brusselle G. Effectiveness of pharmacist intervention for asthma control improvement. *Eur Respir J* 2008;31:790-9.

241. Mendes ES, Horvath G, Campos M, Wanner A. Rapid corticosteroid effect on beta(2)-adrenergic airway and airway vascular reactivity in patients with mild asthma. *J Allergy Clin Immunol* 2008;121:700-4.
242. Menzies D, Nair A, Meldrum KT, Hopkinson P, Lipworth BJ. Effect of aspirin on airway inflammation and pulmonary function in patients with persistent asthma. *J Allergy Clin Immunol* 2008;121:1184-1189 e4.
243. Menzies-Gow AN, Flood-Page PT, Robinson DS, Kay AB. Effect of inhaled interleukin-5 on eosinophil progenitors in the bronchi and bone marrow of asthmatic and non-asthmatic volunteers. *Clin Exp Allergy* 2007;37:1023-32.
244. Meulepas MA, Jacobs JE, Smeenk FW, Smeele I, Lucas AE, Bottema BJ, Grol RP. Effect of an integrated primary care model on the management of middle-aged and old patients with obstructive lung diseases. *Scand J Prim Health Care* 2007;25:186-92.
245. Milenkovic BA, Stankovic IJ, Ilic AM, Petrovic VI. Peak expiratory flow-guided self-management treatment of asthma in Serbia. *J Asthma* 2007;44:699-704.
246. Miller CJ, Senn S, Mezzanotte WS. Bronchodilation of formoterol administered with budesonide: device and formulation effects. *Contemp Clin Trials* 2008;29:114-24.
247. Miller E, FitzGerald JM. Budesonide/formoterol as maintenance and reliever treatment compared to fixed dose combination strategies - a Canadian economic evaluation. *Can J Clin Pharmacol* 2008;15:e165-76.
248. Miller E, Sears MR, McIvor A, Liovas A. Canadian economic evaluation of budesonide-formoterol as maintenance and reliever treatment in patients with moderate to severe asthma. *Can Respir J* 2007;14:269-75.
249. Mirabelli MC, Zock JP, Plana E, Anto JM, Benke G, Blanc PD, Dahlman-Hoglund A, Jarvis DL, Kromhout H, Lillienberg L, Norback D, Olivieri M, Radon K, Sunyer J, Toren K, van Sprundel M, Villani S, Kogevinas M. Occupational risk factors for asthma among nurses and related healthcare professionals in an international study. *Occup Environ Med* 2007;64:474-9.
250. Mirabelli MC, Zock JP, Plana E, Benke G, Kromhout H, Norback D, Olivieri M, Radon K, Villani S, Kogevinas M. Employment status and use of respiratory protection among metalworkers, solderers and welders. *Occup Environ Med* 2007;64:548-52.
251. Miraglia del Giudice M, Piacentini GL, Capasso M, Capristo C, Maiello N, Boner AL, Capristo AF. Formoterol, montelukast, and budesonide in asthmatic children: effect on lung function and exhaled nitric oxide. *Respir Med* 2007;101:1809-13.
252. Miyahara H, Korematsu S, Nagakura T, Izumi T. Efficacy of fluticasone metered-dose inhaler and dry powder inhaler for pediatric asthma. *Pediatr Int* 2008;50:103-8.
253. Moeller A, Lehmann A, Knauer N, Albisetti M, Rochat M, Johannes W. Effects of montelukast on subjective and objective outcome measures in preschool asthmatic children. *Pediatr Pulmonol* 2008;43:179-86.
254. Moeller M, Grimmbacher S, Munzel U. Improvement of asthma therapy by a novel formoterol multidose dry powder inhaler. *Arzneimittelforschung* 2008;58:168-73.
255. Mohammed S, Goodacre S. Intravenous and nebulised magnesium sulphate for acute asthma: systematic review and meta-analysis. *Emerg Med J* 2007;24:823-30.
256. Monteseirin J, Vega A, Chacon P, Camacho MJ, El Bekay R, Asturias JA, Martinez A, Guardia P, Perez-Cano R, Conde J. Neutrophils as a novel source of eosinophil cationic protein in IgE-mediated processes. *J Immunol* 2007;179:2634-41.
257. Montuschi P, Mondino C, Koch P, Ciabattini G, Barnes PJ, Baviera G. Effects of montelukast treatment and withdrawal on fractional exhaled nitric oxide and lung function in children with asthma. *Chest* 2007;132:1876-81.
258. Morice AH, Hochmuth L, Ekelund J, Thoren A, Puterman AS. Comparable long-term safety and efficacy of a novel budesonide/formoterol pressurized metered-dose inhaler versus budesonide/formoterol Turbuhaler in adolescents and adults with asthma. *Pulm Pharmacol Ther* 2008;21:32-9.

259. Morice AH, Peterson S, Beckman O, Kukova Z. Efficacy and safety of a new pressurised metered-dose inhaler formulation of budesonide/formoterol in children with asthma: a superiority and therapeutic equivalence study. *Pulm Pharmacol Ther* 2008;21:152-9.
260. Morice AH, Peterson S, Beckman O, Osmanliev D. Therapeutic comparison of a new budesonide/formoterol pMDI with budesonide pMDI and budesonide/formoterol DPI in asthma. *Int J Clin Pract* 2007;61:1874-83.
261. Morikawa A, Nishima S. New Japanese pediatric guidelines for the treatment and management of bronchial asthma. *Pediatr Int* 2007;49:1023-31.
262. Mortimer KJ, Tattersfield AE, Tang Y, Wu K, Lewis S, Hochhaus G, Harrison TW. Plasma concentrations of fluticasone propionate and budesonide following inhalation: effect of induced bronchoconstriction. *Br J Clin Pharmacol* 2007;64:439-44.
263. Mosaku SK, Erhabor GE, Morakinyo O. Specific psychiatric morbidity among a sample of asthmatics in south western Nigeria. *Int J Psychiatry Med* 2007;37:151-61.
264. Moth G, Schiotz PO, Vedsted P. A Danish population-based cohort study of newly diagnosed asthmatic children's care pathway - adherence to guidelines. *BMC Health Serv Res* 2008;8:130.
265. Munzenberger PJ, Thomas R, Bahrainwala A. Retention by children of device technique for inhaled asthma drugs between visits. *J Asthma* 2007;44:769-73.
266. Murphy K, Nelson H, Parasuraman B, Boggs R, Miller C, O'Dowd L. The effect of budesonide and formoterol in one pressurized metered-dose inhaler on patient-reported outcomes in adults with mild-to-moderate persistent asthma. *Curr Med Res Opin* 2008;24:879-94.
267. Navaratnam P, Jayawant SS, Pedersen CA, Balkrishnan R. Physician adherence to the national asthma prescribing guidelines: evidence from national outpatient survey data in the United States. *Ann Allergy Asthma Immunol* 2008;100:216-21.
268. Nelson H, Kemp J, Berger W, Corren J, Casale T, Dube L, Walton-Bowen K, LaVallee N, Stepanians M. Efficacy of zileuton controlled-release tablets administered twice daily in the treatment of moderate persistent asthma: a 3-month randomized controlled study. *Ann Allergy Asthma Immunol* 2007;99:178-84.
269. Nelson KA, Smith SR, Trinkaus K, Jaffe DM. Pilot study of oral montelukast added to standard therapy for acute asthma exacerbations in children aged 6 to 14 years. *Pediatr Emerg Care* 2008;24:21-7.
270. Ng SM, Li AM, Lou VW, Tso IF, Wan PY, Chan DF. Incorporating family therapy into asthma group intervention: a randomized waitlist-controlled trial. *Fam Process* 2008;47:115-30.
271. Noga O, Hanf G, Kunkel G, Kleine-Tebbe J. Basophil histamine release decreases during omalizumab therapy in allergic asthmatics. *Int Arch Allergy Immunol* 2008;146:66-70.
272. Nopp A, Johansson SG, Ankerst J, Palmqvist M, Oman H. CD-sens and clinical changes during withdrawal of Xolair after 6 years of treatment. *Allergy* 2007;62:1175-81.
273. Nuijsink M, Hop WC, Sterk PJ, Duiverman EJ, de Jongste JC. Long-term asthma treatment guided by airway hyperresponsiveness in children: a randomised controlled trial. *Eur Respir J* 2007;30:457-66.
274. Ochoa-Gondar O, Vila-Corcoles A, Ansa X, Rodriguez-Blanco T, Salsench E, de Diego C, Raga X, Gomez F, Valdivieso E, Fuentes C, Palacios L. Effectiveness of pneumococcal vaccination in older adults with chronic respiratory diseases: results of the EVAN-65 study. *Vaccine* 2008;26:1955-62.
275. Ogata N, Darby Y, Scadding G. Intranasal lysine-aspirin administration decreases polyp volume in patients with aspirin-intolerant asthma. *J Laryngol Otol* 2007;121:1156-60.
276. Osmond MH, Gazarian M, Henry RL, Clifford TJ, Tetzlaff J. Barriers to metered-dose inhaler/spacer use in Canadian pediatric emergency departments: a national survey. *Acad Emerg Med* 2007;14:1106-13.

277. Otto-Knapp R, Conrad F, Hosch S, Metzner P, Maus J, Noga O, Petzold U, Kunkel G. Efficacy and safety of formoterol delivered through the Novolizer, a novel dry powder inhaler (DPI) compared with a standard DPI in patients with moderate to severe asthma. *Pulm Pharmacol Ther* 2008;21:47-53.
278. Ozdemir C, Yazici D, Gocmen I, Yesil O, Aydogan M, Semic-Jusufagic A, Bahceciler NN, Barlan IB. Efficacy of long-term sublingual immunotherapy as an adjunct to pharmacotherapy in house dust mite-allergic children with asthma. *Pediatr Allergy Immunol* 2007;18:508-15.
279. Ozol D, Koca C, Mete E, Yigitoglu R. Influence of atopy on asthma severity in adult female patients. *J Investig Allergol Clin Immunol* 2008;18:36-40.
280. Ozuah PO, Reznik M. Using unannounced standardized patients to assess residents' competency in asthma severity classification. *Ambul Pediatr* 2008;8:139-42.
281. Pajno GB, Caminiti L, Vita D, Barberio G, Salzano G, Lombardo F, Canonica GW, Passalacqua G. Sublingual immunotherapy in mite-sensitized children with atopic dermatitis: a randomized, double-blind, placebo-controlled study. *J Allergy Clin Immunol* 2007;120:164-70.
282. Papi A, Canonica GW, Maestrelli P, Paggiaro P, Olivieri D, Pozzi E, Crimi N, Vignola AM, Morelli P, Nicolini G, Fabbri LM. Rescue use of beclomethasone and albuterol in a single inhaler for mild asthma. *N Engl J Med* 2007;356:2040-52.
283. Papi A, Paggiaro P, Nicolini G, Vignola AM, Fabbri LM. Beclomethasone/formoterol vs fluticasone/salmeterol inhaled combination in moderate to severe asthma. *Allergy* 2007;62:1182-8.
284. Papi A, Paggiaro PL, Nicolini G, Vignola AM, Fabbri LM. Beclomethasone/formoterol versus budesonide/formoterol combination therapy in asthma. *Eur Respir J* 2007;29:682-9.
285. Pasaoglu G, Mungan D, Abadoglu O, Misirligil Z. Leukotriene receptor antagonists: a good choice in the treatment of premenstrual asthma? *J Asthma* 2008;45:95-9.
286. Pattaro C, Locatelli F, Sunyer J, de Marco R. Using the age at onset may increase the reliability of longitudinal asthma assessment. *J Clin Epidemiol* 2007;60:704-711.
287. Pavord I, Woodcock A, Parker D, Rice L. Salmeterol plus fluticasone propionate versus fluticasone propionate plus montelukast: a randomised controlled trial investigating the effects on airway inflammation in asthma. *Respir Res* 2007;8:67.
288. Pavord ID, Cox G, Thomson NC, Rubin AS, Corris PA, Niven RM, Chung KF, Laviolette M. Safety and efficacy of bronchial thermoplasty in symptomatic, severe asthma. *Am J Respir Crit Care Med* 2007;176:1185-91.
289. Pearce N, Ait-Khaled N, Beasley R, Mallo J, Keil U, Mitchell E, Robertson C. Worldwide trends in the prevalence of asthma symptoms: phase III of the International Study of Asthma and Allergies in Childhood (ISAAC). *Thorax* 2007;62:758-66.
290. Pearlman DS, Rees W, Schaefer K, Huang H, Andrews WT. An evaluation of levalbuterol HFA in the prevention of exercise-induced bronchospasm. *J Asthma* 2007;44:729-33.
291. Pedersen S, Agertoft L, Williams-Herman D, Kuznetsova O, Reiss TF, Knorr B, Dass SB, Wolthers OD. Placebo-controlled study of montelukast and budesonide on short-term growth in prepubertal asthmatic children. *Pediatr Pulmonol* 2007;42:838-43.
292. Pedersen SE, Bateman ED, Bousquet J, Busse WW, Yoxall S, Clark TJ. Determinants of response to fluticasone propionate and salmeterol/fluticasone propionate combination in the Gaining Optimal Asthma control study. *J Allergy Clin Immunol* 2007;120:1036-42.
293. Pedroletti C, Lundahl J, Alving K, Hedlin G. Effect of nasal steroid treatment on airway inflammation determined by exhaled nitric oxide in allergic schoolchildren with perennial rhinitis and asthma. *Pediatr Allergy Immunol* 2008;19:219-26.
294. Perez-Yarza EG, Cobos N, de la Cruz JJ. [Variability in peak expiratory flow does not classify asthma according to severity]. *Arch Bronconeumol* 2007;43:535-41.
295. Perez-Yarza EG, Moreno A, Lazaro P, Mejias A, Ramilo O. The association between respiratory syncytial virus infection and the development of childhood asthma: a systematic review of the literature. *Pediatr Infect Dis J* 2007;26:733-9.

296. Peters AT, Klemens JC, Haselkorn T, Weiss ST, Grammer LC, Lee JH, Chen H. Insurance status and asthma-related health care utilization in patients with severe asthma. *Ann Allergy Asthma Immunol* 2008;100:301-7.
297. Peters SP, Anthonisen N, Castro M, Holbrook JT, Irvin CG, Smith LJ, Wise RA. Randomized comparison of strategies for reducing treatment in mild persistent asthma. *N Engl J Med* 2007;356:2027-39.
298. Petkova VB. Pharmaceutical care for asthma patients: a community pharmacy-based pilot project. *Allergy Asthma Proc* 2008;29:55-61.
299. Pinnock H, Adlem L, Gaskin S, Harris J, Snellgrove C, Sheikh A. Accessibility, clinical effectiveness, and practice costs of providing a telephone option for routine asthma reviews: phase IV controlled implementation study. *Br J Gen Pract* 2007;57:714-22.
300. Polosa R. An overview of chronic severe asthma. *Intern Med J* 2008;38:190-8.
301. Poon AH, Tantisira KG, Litonjua AA, Lazarus R, Xu J, Lasky-Su J, Lima JJ, Irvin CG, Hanrahan JP, Lange C, Weiss ST. Association of corticotropin-releasing hormone receptor-2 genetic variants with acute bronchodilator response in asthma. *Pharmacogenet Genomics* 2008;18:373-82.
302. Porsbjerg C, Brannan JD, Anderson SD, Backer V. Relationship between airway responsiveness to mannitol and to methacholine and markers of airway inflammation, peak flow variability and quality of life in asthma patients. *Clin Exp Allergy* 2008;38:43-50.
303. Price D, Wiren A, Kuna P. Cost-effectiveness of budesonide/formoterol for maintenance and reliever asthma therapy. *Allergy* 2007;62:1189-98.
304. Price DB, Williams AE, Yoxall S. Salmeterol/fluticasone stable-dose treatment compared with formoterol/budesonide adjustable maintenance dosing: impact on health-related quality of life. *Respir Res* 2007;8:46.
305. Prieto L, Badiola C, Villa JR, Plaza V, Molina J, Cimas E. Asthma control: do patients' and physicians' opinions fit in with patients' asthma control status? *J Asthma* 2007;44:461-7.
306. Prosser RJ, Carleton BC, Smith MA. Identifying persons with treated asthma using administrative data via latent class modelling. *Health Serv Res* 2008;43:733-54.
307. Quint J, Beckett WS, Campleman SL, Sutton P, Prudhomme J, Flattery J, Harrison R, Cowan B, Kreutzer R. Primary prevention of occupational asthma: identifying and controlling exposures to asthma-causing agents. *Am J Ind Med* 2008;51:477-91.
308. Rabinovitch N, Strand M, Stuhlman K, Gelfand EW. Exposure to tobacco smoke increases leukotriene E4-related albuterol usage and response to montelukast. *J Allergy Clin Immunol* 2008;121:1365-71.
309. Raissy HH, Harkins M, Esparham A, Kelly HW. Comparison of the dose response to levalbuterol with and without pretreatment with S-albuterol after methacholine-induced bronchoconstriction. *Pharmacotherapy* 2007;27:1231-6.
310. Raissy HH, Harkins M, Kelly F, Kelly HW. Pretreatment with albuterol versus montelukast for exercise-induced bronchospasm in children. *Pharmacotherapy* 2008;28:287-94.
311. Ramnath VR, Clark S, Camargo CA, Jr. Multicenter study of clinical features of sudden-onset versus slower-onset asthma exacerbations requiring hospitalization. *Respir Care* 2007;52:1013-20.
312. Ratner P, Darken P, Wingertzahn M, Shah T. Ciclesonide and beclomethasone dipropionate coadministration: effect on cortisol in perennial allergic rhinitis. *J Asthma* 2007;44:629-33.
313. Razi CH, Turktas I, Bakirtas A. Comparison of single 2000-microg dose treatment vs. sequential repeated-dose 500-microg treatments with nebulized budesonide in acute asthma exacerbations. *Ann Allergy Asthma Immunol* 2008;100:370-6.
314. Ribeiro M, Pereira CA, Nery LE, Beppu OS, Silva CO. High-dose inhaled beclomethasone treatment in patients with chronic cough: a randomized placebo-controlled study. *Ann Allergy Asthma Immunol* 2007;99:61-8.

315. Ribeiro M, Pereira CA, Nery LE, Beppu OS, Silva CO. Methacholine vs adenosine on intra and extrathoracic airway hyperresponsiveness in patients with cough variant asthma. *Allergy* 2008;63:527-32.
316. Riccioni G, Bucciarelli T, Mancini B, Di Ilio C, D'Orazio N. Antileukotriene drugs: clinical application, effectiveness and safety. *Curr Med Chem* 2007;14:1966-77.
317. Richardson CH, de Matas M, Hosker H, Mukherjee R, Wong I, Chrystyn H. Determination of the relative bioavailability of salbutamol to the lungs following inhalation from dry powder inhaler formulations containing drug substance manufactured by supercritical fluids and micronization. *Pharm Res* 2007;24:2008-17.
318. Richter K, Gronke L, Janicki S, Maus J, Jorres RA, Magnussen H. Effect of azelastine, montelukast, and their combination on allergen-induced bronchoconstriction in asthma. *Pulm Pharmacol Ther* 2008;21:61-6.
319. Ring N, Malcolm C, Wyke S, Macgillivray S, Dixon D, Hoskins G, Pinnock H, Sheikh A. Promoting the use of Personal Asthma Action Plans: a systematic review. *Prim Care Respir J* 2007;16:271-83.
320. Robinson RJ, Doolittle RL, Diflorio JN. Use of asthmatic pulmonary function test data to predict lung deposition. *J Aerosol Med* 2007;20:141-62.
321. Rojas RA, Paluga I, Goldfrad CH, Duggan MT, Barnes N. Initiation of maintenance therapy with salmeterol/fluticasone propionate combination therapy in moderate asthma: a comparison with fluticasone propionate. *J Asthma* 2007;44:437-41.
322. Rootmensen GN, van Keimpema AR, Looyesen EE, van der Schaaf L, de Haan RJ, Jansen HM. The effects of additional care by a pulmonary nurse for asthma and COPD patients at a respiratory outpatient clinic: results from a double blind, randomized clinical trial. *Patient Educ Couns* 2008;70:179-86.
323. Rosewich M, Rose MA, Eickmeier O, Travaci M, Kitz R, Zielen S. Montelukast as add-on therapy to beta-agonists and late airway response. *Eur Respir J* 2007;30:56-61.
324. Rothenbacher D, Weyermann M, Fantuzzi G, Brenner H. Adipokines in cord blood and risk of wheezing disorders within the first two years of life. *Clin Exp Allergy* 2007;37:1143-9.
325. Rowe BH, Bota GW, Clark S, Camargo CA. Comparison of Canadian versus American emergency department visits for acute asthma. *Can Respir J* 2007;14:331-7.
326. Rowe BH, Wong E, Blitz S, Diner B, Mackey D, Ross S, Senthilselvan A. Adding long-acting beta-agonists to inhaled corticosteroids after discharge from the emergency department for acute asthma: a randomized controlled trial. *Acad Emerg Med* 2007;14:833-40.
327. Sag C, Ozden FO, Acikgoz G, Anlar FY. The effects of combination treatment with a long-acting beta2-agonist and a corticosteroid on salivary flow rate, secretory immunoglobulin A, and oral health in children and adolescents with moderate asthma: a 1-month, single-blind clinical study. *Clin Ther* 2007;29:2236-42.
328. Sanders DL, Gregg W, Aronsky D. Identifying asthma exacerbations in a pediatric emergency department: a feasibility study. *Int J Med Inform* 2007;76:557-64.
329. Sarinho E, Queiroz GR, Dias ML, Queiroz e Silva AJ. Asthma-related hospitalizations and lack of outpatient follow-up treatment. *J Bras Pneumol* 2007;33:365-71.
330. Schatz M, Mosen DM, Kosinski M, Vollmer WM, Magid DJ, O'Connor E, Zeiger RS. Validity of the Asthma Control Test completed at home. *Am J Manag Care* 2007;13:661-7.
331. Schneider A, Biessecker K, Quinzler R, Kaufmann-Kolle P, Meyer FJ, Wensing M, Szecsenyi J. Asthma patients with low perceived burden of illness: a challenge for guideline adherence. *J Eval Clin Pract* 2007;13:846-52.
332. Schneider A, Wensing M, Biessecker K, Quinzler R, Kaufmann-Kolle P, Szecsenyi J. Impact of quality circles for improvement of asthma care: results of a randomized controlled trial. *J Eval Clin Pract* 2008;14:185-90.

333. Schneider A, Wensing M, Quinzler R, Bieber C, Szecsenyi J. Higher preference for participation in treatment decisions is associated with lower medication adherence in asthma patients. *Patient Educ Couns* 2007;67:57-62.
334. Schokker S, Kooi EM, de Vries TW, Brand PL, Mulder PG, Duiverman EJ, van der Molen T. Inhaled corticosteroids for recurrent respiratory symptoms in preschool children in general practice: randomized controlled trial. *Pulm Pharmacol Ther* 2008;21:88-97.
335. Sedik HA, Barr RG, Clark S, Camargo CA, Jr. Prospective study of sudden-onset asthma exacerbations in children. *Pediatr Emerg Care* 2007;23:439-44.
336. Shao SJ, Qin XY, Gao XY, Wang SF, Wang JF, Shao SX, Li HC, Ren Z. [Multi-central clinical valuation of SHAO's "five needling methods" for treatment of asthma of deficiency of lung and spleen]. *Zhongguo Zhen Jiu* 2007;27:793-6.
337. Shaw A, Noble A, Salisbury C, Sharp D, Thompson E, Peters TJ. Predictors of complementary therapy use among asthma patients: results of a primary care survey. *Health Soc Care Community* 2008;16:155-64.
338. Shaw DE, Berry MA, Thomas M, Green RH, Brightling CE, Wardlaw AJ, Pavord ID. The use of exhaled nitric oxide to guide asthma management: a randomized controlled trial. *Am J Respir Crit Care Med* 2007;176:231-7.
339. Simons FE. H1-antihistamine treatment in young atopic children: effect on urticaria. *Ann Allergy Asthma Immunol* 2007;99:261-6.
340. Simons FE. Safety of levocetirizine treatment in young atopic children: An 18-month study. *Pediatr Allergy Immunol* 2007;18:535-42.
341. Simpkins J, Divine G, Wang M, Holmboe E, Pladevall M, Williams LK. Improving asthma care through recertification: a cluster randomized trial. *Arch Intern Med* 2007;167:2240-8.
342. Simpson JL, Powell H, Boyle MJ, Scott RJ, Gibson PG. Clarithromycin targets neutrophilic airway inflammation in refractory asthma. *Am J Respir Crit Care Med* 2008;177:148-55.
343. Singh BB, Khorsan R, Vinjamury SP, Der-Martirosian C, Kizhakkeveetil A, Anderson TM. Herbal treatments of asthma: a systematic review. *J Asthma* 2007;44:685-98.
344. Singh D, Richards D, Knowles RG, Schwartz S, Woodcock A, Langley S, O'Connor BJ. Selective inducible nitric oxide synthase inhibition has no effect on allergen challenge in asthma. *Am J Respir Crit Care Med* 2007;176:988-93.
345. Singh D, Tutuncu A, Lohr I, Carlholm M, Polanowski T. Budesonide administered using chlorofluorocarbon and hydrofluoroalkane pressurized metered-dose inhalers: pharmacokinetics, pharmacodynamics and clinical equivalence. *Int J Clin Pharmacol Ther* 2007;45:485-95.
346. Siren A, Kylliainen A, Tenhunen M, Hirvonen K, Riita T, Koivikko M. Beneficial effects of antiepileptic medication on absence seizures and cognitive functioning in children. *Epilepsy Behav* 2007;11:85-91.
347. Skoner DP, Maspero J, Banerji D. Assessment of the long-term safety of inhaled ciclesonide on growth in children with asthma. *Pediatrics* 2008;121:e1-14.
348. Slater JE, James R, Pongracic JA, Liu AH, Sarpong S, Sampson HA, Satinover SM, Woodfolk JA, Mitchell HE, Gergen PJ, Eggleston PA. Biological potency of German cockroach allergen extracts determined in an inner city population. *Clin Exp Allergy* 2007;37:1033-9.
349. Smeeton NC, Rona RJ, Gregory J, White P, Morgan M. Parental attitudes towards the management of asthma in ethnic minorities. *Arch Dis Child* 2007;92:1082-7.
350. Sole D, Camelo-Nunes IC, Wandalsen GF, Mallozi MC, Naspitz CK. Is the prevalence of asthma and related symptoms among Brazilian children related to socioeconomic status? *J Asthma* 2008;45:19-25.
351. Soma T, Hino M, Kida K, Kudoh S. A prospective and randomized study for improvement of acute asthma by non-invasive positive pressure ventilation (NPPV). *Intern Med* 2008;47:493-501.

352. Sorkness RL, Bleecker ER, Busse WW, Calhoun WJ, Castro M, Chung KF, Curran-Everett D, Erzurum SC, Gaston BM, Israel E, Jarjour NN, Moore WC, Peters SP, Teague WG, Wenzel SE. Lung function in adults with stable but severe asthma: air trapping and incomplete reversal of obstruction with bronchodilation. *J Appl Physiol* 2008;104:394-403.
353. Sovani MP, Whale CI, Osborne J, Cooper S, Mortimer K, Ekstrom T, Tattersfield AE, Harrison TW. Poor adherence with inhaled corticosteroids for asthma: can using a single inhaler containing budesonide and formoterol help? *Br J Gen Pract* 2008;58:37-43.
354. Srisawasdi S, Punjasawadwong Y, Werawatganon T, Pengpol W, Kongrit P, Rodanant O, Tanudsintum S. The Thai Anesthesia Incidents Study (THAI Study) of ambulatory anesthesia: Part I: Method, geographic distribution and population. *J Med Assoc Thai* 2007;90:1558-64.
355. Srivastava D, Singh BP, Sudha VT, Arora N, Gaur SN. Immunotherapy with mosquito (*Culex quinquefasciatus*) extract: a double-blind, placebo-controlled study. *Ann Allergy Asthma Immunol* 2007;99:273-80.
356. Stallberg B, Lisspers K, Hasselgren M, Johansson G, Svardsudd K. Factors related to the level of severity of asthma in primary care. *Respir Med* 2007;101:2076-83.
357. Stankovic I, Pejic T, Milenkovic B, Jovanovic D, Rancic M. Is there any point in a corticosteroid treatment of intermittent asthma? *ScientificWorldJournal* 2007;7:1082-9.
358. Steiss JO, Strohner P, Zimmer KP, Lindemann H. Reduction of the total IgE level by omalizumab in children and adolescents. *J Asthma* 2008;45:233-6.
359. Stelmach I, Grzelewski T, Majak P, Jerzynska J, Stelmach W, Kuna P. Effect of different antiasthmatic treatments on exercise-induced bronchoconstriction in children with asthma. *J Allergy Clin Immunol* 2008;121:383-9.
360. Stensrud T, Berntsen S, Carlsen KH. Exercise capacity and exercise-induced bronchoconstriction (EIB) in a cold environment. *Respir Med* 2007;101:1529-36.
361. Storaas T, Irgens A, Florvaag E, Steinsvag SK, Ardal L, Do TV, Greiff L, Aasen TB. Bronchial responsiveness in bakery workers: relation to airway symptoms, IgE sensitization, nasal indices of inflammation, flour dust exposure and smoking. *Clin Physiol Funct Imaging* 2007;27:327-34.
362. Stow PJ, Pilcher D, Wilson J, George C, Bailey M, Hignett T, Bellomo R, Hart GK. Improved outcomes from acute severe asthma in Australian intensive care units (1996 2003). *Thorax* 2007;62:842-7.
363. Sullivan AF, Camargo CA, Jr., Cleary PD, Gordon JA, Guadagnoli E, Kaushal R, Magid DJ, Rao SR, Blumenthal D. The National Emergency Department Safety Study: study rationale and design. *Acad Emerg Med* 2007;14:1182-9.
364. Surette ME, Stull D, Lindemann J. The impact of a medical food containing gammalinolenic and eicosapentaenoic acids on asthma management and the quality of life of adult asthma patients. *Curr Med Res Opin* 2008;24:559-67.
365. Szeffler SJ, Baker JW, Uryniak T, Goldman M, Silkoff PE. Comparative study of budesonide inhalation suspension and montelukast in young children with mild persistent asthma. *J Allergy Clin Immunol* 2007;120:1043-50.
366. Tabar AI, Lizaso MT, Garcia BE, Gomez B, Echechipia S, Aldunate MT, Madariaga B, Martinez A. Double-blind, placebo-controlled study of *Alternaria alternata* immunotherapy: clinical efficacy and safety. *Pediatr Allergy Immunol* 2008;19:67-75.
367. Tagiyeva N, McNeill G, Russell G, Helms P. Two main subtypes of wheezing illness? Evidence from the 2004 Aberdeen schools asthma survey. *Pediatr Allergy Immunol* 2008;19:7-12.
368. Tantisira KG, Silverman ES, Mariani TJ, Xu J, Richter BG, Klanderman BJ, Litonjua AA, Lazarus R, Rosenwasser LJ, Fuhlbrigge AL, Weiss ST. FCER2: a pharmacogenetic basis for severe exacerbations in children with asthma. *J Allergy Clin Immunol* 2007;120:1285-91.
369. Taylor B, Mannino D, Brown C, Crocker D, Twum-Baah N, Holguin F. Body mass index and asthma severity in the National Asthma Survey. *Thorax* 2008;63:14-20.

370. Tecklenburg SL, Mickleborough TD, Fly AD, Bai Y, Stager JM. Ascorbic acid supplementation attenuates exercise-induced bronchoconstriction in patients with asthma. *Respir Med* 2007;101:1770-8.
371. Tennant R, Mohammed MA, Coleman JJ, Martin U. Monitoring patients using control charts: a systematic review. *Int J Qual Health Care* 2007;19:187-94.
372. Tham KW, Zuraimi MS, Koh D, Chew FT, Ooi PL. Associations between home dampness and presence of molds with asthma and allergic symptoms among young children in the tropics. *Pediatr Allergy Immunol* 2007;18:418-24.
373. Thor J, Lundberg J, Ask J, Olsson J, Carli C, Harenstam KP, Brommels M. Application of statistical process control in healthcare improvement: systematic review. *Qual Saf Health Care* 2007;16:387-99.
374. Tjorhom A, Riiser A, Carlsen KH. Effects of formoterol on endurance performance in athletes at an ambient temperature of -20 degrees C. *Scand J Med Sci Sports* 2007;17:628-35.
375. Torrent M, Sunyer J, Garcia R, Harris J, Iturriaga MV, Puig C, Vall O, Anto JM, Newman Taylor AJ, Cullinan P. Early-life allergen exposure and atopy, asthma, and wheeze up to 6 years of age. *Am J Respir Crit Care Med* 2007;176:446-53.
376. Tousman S, Zeitz H, Taylor LD, Bristol C. Development, implementation and evaluation of a new adult asthma self-management program. *J Community Health Nurs* 2007;24:237-51.
377. Urrutia I, Aguirre U, Sunyer J, Plana E, Muniozguren N, Martinez-Moratalla J, Payo F, Maldonado JA, Anto JM. [Changes in the prevalence of asthma in the Spanish cohort of the European Community Respiratory Health Survey (ECRHS-II)]. *Arch Bronconeumol* 2007;43:425-30.
378. Vally H, Thompson PJ, Misso NL. Changes in bronchial hyperresponsiveness following high- and low-sulphite wine challenges in wine-sensitive asthmatic patients. *Clin Exp Allergy* 2007;37:1062-6.
379. van Aalderen WM, Price D, De Baets FM, Price J. Beclometasone dipropionate extrafine aerosol versus fluticasone propionate in children with asthma. *Respir Med* 2007;101:1585-93.
380. Van de Ven MO, Engels RC, Kerstjens HA, Van den Eijnden RJ. Bidirectionality in the relationship between asthma and smoking in adolescents: a population-based cohort study. *J Adolesc Health* 2007;41:444-54.
381. van den Bemt L, de Vries MP, Cloosterman S, Thoonen B, Muris JW, Goossens M, Wesseling G, van Schayck CP. Influence of house dust mite impermeable covers on health-related quality of life of adult patients with asthma: results of a randomized clinical trial. *J Asthma* 2007;44:843-8.
382. van der Hulst AE, Klip H, Brand PL. Risk of developing asthma in young children with atopic eczema: a systematic review. *J Allergy Clin Immunol* 2007;120:565-9.
383. van der Meer V, van Stel HF, Detmar SB, Otten W, Sterk PJ, Sont JK. Internet-based self-management offers an opportunity to achieve better asthma control in adolescents. *Chest* 2007;132:112-9.
384. van Elden LJ, Sachs AP, van Loon AM, Haarman M, van de Vijver DA, Kimman TG, Zuithoff P, Schipper PJ, Verheij TJ, Nijhuis M. Enhanced severity of virus associated lower respiratory tract disease in asthma patients may not be associated with delayed viral clearance and increased viral load in the upper respiratory tract. *J Clin Virol* 2008;41:116-21.
385. van Veen A, Weller FR, Wierenga EA, Jansen HM, Jonkers RE. The influence of the AA 16 beta 2-adrenoceptor polymorphism on systemic and airway responses in asthma. *Pulm Pharmacol Ther* 2008;21:73-8.
386. van Wijk RG. Sublingual immunotherapy in children. *Expert Opin Biol Ther* 2008;8:291-8.
387. Vargas PA, Brenner B, Clark S, Boudreaux ED, Camargo CA, Jr. Exposure to environmental tobacco smoke among children presenting to the emergency department with acute asthma: a multicenter study. *Pediatr Pulmonol* 2007;42:646-55.

388. Varraso R, Fung TT, Barr RG, Hu FB, Willett W, Camargo CA, Jr. Prospective study of dietary patterns and chronic obstructive pulmonary disease among US women. *Am J Clin Nutr* 2007;86:488-95.
389. Vega JM, Badia X, Badiola C, Lopez-Vina A, Olaguibel JM, Picado C, Sastre J, Dal-Re R. Validation of the Spanish version of the Asthma Control Test (ACT). *J Asthma* 2007;44:867-72.
390. Verini M, Peroni DG, Piacentini GL, Nicodemo A, Rossi N, Bodini A, Chiarelli F, Boner AL. Comparison of add-on therapy to inhaled fluticasone propionate in children with asthma: residual volume and exhaled nitric oxide as outcome measures. *Allergy Asthma Proc* 2007;28:691-4.
391. Vermeulen JH, Gyurkovits K, Rauer H, Engelstatter R. Randomized comparison of the efficacy and safety of ciclesonide and budesonide in adolescents with severe asthma. *Respir Med* 2007;101:2182-91.
392. Vilain A, Otis S, Forget A, Blais L. Agreement between administrative databases and medical charts for pregnancy-related variables among asthmatic women. *Pharmacoepidemiol Drug Saf* 2008;17:345-53.
393. Vilozni D, Bentur L, Efrati O, Barak A, Szeinberg A, Shoseyov D, Yahav Y, Augarten A. Exercise challenge test in 3- to 6-year-old asthmatic children. *Chest* 2007;132:497-503.
394. Voitsekhovskaia Iu G, Skesters A, Orlikov GA, Silova AA, Rusakova NE, Larmane LT, Karpov Iu G, Ivanov AD, Maulins E. [Assessment of some oxidative stress parameters in bronchial asthma patients beyond add-on selenium supplementation]. *Biomed Khim* 2007;53:577-84.
395. von Berg A, Engelstatter R, Minic P, Sreckovic M, Garcia Garcia ML, Latos T, Vermeulen JH, Leichtl S, Hellbardt S, Bethke TD. Comparison of the efficacy and safety of ciclesonide 160 microg once daily vs. budesonide 400 microg once daily in children with asthma. *Pediatr Allergy Immunol* 2007;18:391-400.
396. Waked M, Salameh P. Symptoms, severity and asthma control in 5-14 y-old Lebanon school children. *J Med Liban* 2007;55:145-51.
397. Wang NQ, Jiang LD, Zhang XM, Li ZX. [Effect of dongchong xiacao capsule on airway inflammation of asthmatic patients]. *Zhongguo Zhong Yao Za Zhi* 2007;32:1566-8.
398. Watkins PB, Dube LM, Walton-Bowen K, Cameron CM, Kasten LE. Clinical pattern of zileuton-associated liver injury: results of a 12-month study in patients with chronic asthma. *Drug Saf* 2007;30:805-15.
399. Weber-Chrysochoou C, Crisafulli D, Almqvist C, Li Q, Kemp AS, Britton WJ, Marks GB. IL-5 T-cell responses to house dust mite are associated with the development of allergen-specific IgE responses and asthma in the first 5 years of life. *J Allergy Clin Immunol* 2007;120:286-92.
400. Weisman MH, Paulus HE, Burch FX, Kivitz AJ, Fierer J, Dunn M, Kerr DR, Tsuji W, Baumgartner SW. A placebo-controlled, randomized, double-blinded study evaluating the safety of etanercept in patients with rheumatoid arthritis and concomitant comorbid diseases. *Rheumatology (Oxford)* 2007;46:1122-5.
401. Wenzel S, Wilbraham D, Fuller R, Getz EB, Longphre M. Effect of an interleukin-4 variant on late phase asthmatic response to allergen challenge in asthmatic patients: results of two phase 2a studies. *Lancet* 2007;370:1422-31.
402. Wigertz A, Lonn S, Schwartzbaum J, Hall P, Auvinen A, Christensen HC, Johansen C, Klaeboe L, Salminen T, Schoemaker MJ, Swerdlow AJ, Tynes T, Feychting M. Allergic conditions and brain tumor risk. *Am J Epidemiol* 2007;166:941-50.
403. Wildman MJ, Harrison DA, Welch CA, Sanderson C. A new measure of acute physiological derangement for patients with exacerbations of obstructive airways disease: the COPD and Asthma Physiology Score. *Respir Med* 2007;101:1994-2002.
404. Wildman MJ, Sanderson C, Groves J, Reeves BC, Ayres J, Harrison D, Young D, Rowan K. Implications of prognostic pessimism in patients with chronic obstructive pulmonary disease

- (COPD) or asthma admitted to intensive care in the UK within the COPD and asthma outcome study (CAOS): multicentre observational cohort study. *BMJ* 2007;335:1132.
405. Willems DC, Joore MA, Hendriks JJ, van Duurling RA, Wouters EF, Severens JL. Process evaluation of a nurse-led telemonitoring programme for patients with asthma. *J Telemed Telecare* 2007;13:310-7.
406. Wood LG, Garg ML, Powell H, Gibson PG. Lycopene-rich treatments modify noneosinophilic airway inflammation in asthma: proof of concept. *Free Radic Res* 2008;42:94-102.
407. Wood PR, Smith B, O'Donnell L, Galbreath AD, Lara M, Forkner E, Peters JI. Quantifying asthma symptoms in adults: the Lara Asthma Symptom Scale. *J Allergy Clin Immunol* 2007;120:1368-72.
408. Woodruff PG, Boushey HA, Dolganov GM, Barker CS, Yang YH, Donnelly S, Ellwanger A, Sidhu SS, Dao-Pick TP, Pantoja C, Erle DJ, Yamamoto KR, Fahy JV. Genome-wide profiling identifies epithelial cell genes associated with asthma and with treatment response to corticosteroids. *Proc Natl Acad Sci U S A* 2007;104:15858-63.
409. Yang WH, Martinot JB, Pohunek P, Beier J, Magula D, Cameron R, Owen R, Higgins M. Tolerability of indacaterol, a novel once-daily beta2-agonist, in patients with asthma: a randomized, placebo-controlled, 28-day safety study. *Ann Allergy Asthma Immunol* 2007;99:555-61.
410. Yen IH, Yelin E, Katz P, Eisner MD, Blanc PD. Impact of perceived neighborhood problems on change in asthma-related health outcomes between baseline and follow-up. *Health Place* 2008;14:468-77.
411. Yoo Y, Choung JT, Yu J, Kim do K, Choi SH, Koh YY. Comparison of percentage fall in FVC at the provocative concentration of methacholine causing a 20% fall in FEV(1) between patients with asymptomatic bronchial hyperresponsiveness and mild asthma. *Chest* 2007;132:106-11.
412. Yuksel H, Kose C, Yilmaz O, Ozbilgin K, Degirmenci PB, Pinar E, Kirmaz C. Increased expression of tissue vascular endothelial growth factor and foetal liver kinase-1 receptor in seasonal allergic rhinitis and relevance to asthma component. *Clin Exp Allergy* 2007;37:1183-8.
413. Zemek RL, Bhogal SK, Ducharme FM. Systematic review of randomized controlled trials examining written action plans in children: what is the plan? *Arch Pediatr Adolesc Med* 2008;162:157-63.
414. Zeybek C, Yalcin Y, Erdem A, Polat TB, Aktuglu-Zeybek AC, Bayoglu V, Akdeniz C, Celebi A. Tissue Doppler echocardiographic assessment of cardiac function in children with bronchial asthma. *Pediatr Int* 2007;49:911-7.
415. Zock JP, Plana E, Jarvis D, Anto JM, Kromhout H, Kennedy SM, Kunzli N, Villani S, Olivieri M, Toren K, Radon K, Sunyer J, Dahlman-Hoglund A, Norback D, Kogevinas M. The use of household cleaning sprays and adult asthma: an international longitudinal study. *Am J Respir Crit Care Med* 2007;176:735-41.
416. Zollner EW. Hypothalamic-pituitary-adrenal axis suppression in asthmatic children on inhaled corticosteroids (Part 2)--the risk as determined by gold standard adrenal function tests: a systematic review. *Pediatr Allergy Immunol* 2007;18:469-74.
417. Zuccotti G, Amendola A, Vignano A, Pariani E, Zappa A, Pogliani L, Giacomet V, Savarino A, Podesta A, Rottoli A, Tanzi E, Zanetti A, Radaelli G. Long-term immunogenicity of a virosomal subunit inactivated influenza vaccine in children with asthma. *Vaccine* 2007;25:6692-8.
418. Zuidgeest MG, van Dijk L, Smit HA, van der Wouden JC, Brunekreef B, Leufkens HG, Bracke M. Prescription of respiratory medication without an asthma diagnosis in children: a population based study. *BMC Health Serv Res* 2008;8:16.